

**BALTIMORE COUNTY, MARYLAND
PURCHASING DIVISION
400 WASHINGTON AVENUE, ROOM 148
TOWSON, MARYLAND 21204-4665**



REQUEST FOR BID NO. B-10000353

UNIFORMS, CUSTOM, POLICE

Due Date: 03/28/2025, Time: 2:00 PM

Pre-Bid Conference: 03/19/2025, Time: 10:00 AM

Submit bids electronically to:
bid@baltimorecountymd.gov

Samantha A. Mulai, STAFF BUYER

Amendments to solicitations often occur prior to bid opening and sometimes within as little as 48 hours prior to bid opening. It is the potential vendor's responsibility to frequently visit the Procurement Services web site (<https://www.baltimorecountymd.gov/departments/budfin/purchasing/>) to obtain amendments once they have downloaded a solicitation.

BIDDER CHECK LIST

- Have you signed your bid?
- Have you signed the Procurement Affidavit?
- Have you filled out all applicable forms?
- Have you signed and returned amendments?

**BALTIMORE COUNTY, MARYLAND
REQUEST FOR BID NO. B-1000353
UNIFORMS, CUSTOM, POLICE**

TABLE OF CONTENTS

- I. **General Instructions for Solicitations**
 - 1. Instructions, Forms and Specifications
 - 2. Award of Solicitations
 - 3. Reservations
 - 4. Delivery
 - 5. Competition
 - 6. Terminations
 - 7. Hold Harmless - Indemnification
 - 8. Minority Business Enterprise (MBE) and Small Business Notice
 - 9. Authority
 - 10. HIPAA (Health Insurance Portability and Accountability Act)
 - 11. Reports
 - 12. Terms of Contract
 - 13. Severability
 - 14. Counterparts
 - 15. Survival
 - 16. No Waiver, Etc.
 - 17. Maryland Registration / Qualification Requirements
 - 18. Eligibility of Candidates for Employment
 - 19. Warranty
 - 20. American Manufactured Goods Required for Public Works
- II. **Procurement Affidavit**
- III. **First Source Hiring Agreement Overview Acknowledgement**
- IV. **Intent To Bid Form**
- V. **Taxpayer Identification Number (TIN) and Certification**
- VI. **Insurance Provisions**
- VII. **General Conditions**
- VIII. **Specifications**
- IX. **Bid Signature Cover Page**
- X. **Price Sheets**

BALTIMORE COUNTY, MARYLAND

General Instructions for Solicitations

1. Instructions, Forms and Specifications

1.1 All bids/proposals are to be submitted on and in accordance with the forms provided by the Division of Procurement Services. All bids must be submitted electronically as specified in the General Conditions. All bids must be clearly identified with the SOLICITATION NUMBER and the SOLICITATION TITLE in the subject line of the email. Bid times are either Eastern Standard Time or Eastern Daylight Time, whichever prevails. Late bids will not be considered.

1.2 Responses to Requests for Bids and Requests for Proposals shall be accompanied by an executed Procurement Affidavit, as provided by the Division of Procurement Services. This does not apply to Requests for Quotations.

1.3 Amendments to solicitations often occur prior to bid opening and sometimes within hours prior to bid opening. All bidders are responsible for frequently visiting the Procurement Services web site to obtain amendments once they have downloaded a solicitation.

1.4 Additional information or clarification of any of the instructions or information contained herein may be obtained from the Division of Procurement Services. The County assumes no responsibility for oral instructions or suggestions. All official correspondence in regard to this solicitation must be directed to, and will be issued by, the Division of Procurement Services.

1.5 Bidders finding any discrepancy in or omission from the specifications, in doubt as to meaning, or asserting that the specifications are discriminatory, shall notify the Division of Procurement Services in writing at once, but in no case later than five (5) business days prior to the scheduled opening of bids. Exceptions stated do not obligate the County to change the specifications. The Division of Procurement Services will notify all bidders in writing, by amendment duly issued, of any substantive revisions to specifications or instructions.

1.6 Unless a written exception detailing non-conformance to specifications is noted on the bid, any part number, product number, catalog number, etc., noted on the bid will be considered in full compliance with the specifications.

1.7 Submission of a bid in response to this solicitation evidences the bidder's acceptance of these General Instructions and the terms and conditions of the solicitation. Submission of a bid evidences bidder's representation and warranty that the person submitting the bid response is authorized to act for and bind the contractor.

1.8 All original and duplicate bids/proposals and other attachments, related documents and correspondence, including all follow-up documents and correspondence, shall be typed or written in English. All prices/percentages and/or other monetary figures shall be in United States dollars.

1.9 Issuing Officer: The sole point of contact for the County for purposes of this solicitation is the Buyer, listed on the cover page; questions regarding any aspect of the competitive process must be directed to the Buyer, in writing.

2. Award of Solicitations

2.1 Any award pursuant to Requests for Quotation and Requests for Bid is made to the lowest responsive and responsible bidder following the public opening of bids under Section 10-2-406 of the Baltimore County Code, 2003, as amended.

2.2 Awards on Requests for Quotations and Requests for Bid will be made within sixty (60) days after bid opening unless otherwise indicated in this solicitation. No bidder will be allowed to withdraw a bid during that period.

2.3 The successful bidder may be required to give security or bond, as stated in the bid document, for performance of the contract.

2.4 When there is a conflict between the unit price or percentage and the extension, the unit price or percentage will prevail as the amount of the bid.

2.5 Cash discounts will be considered in determining awards. However, cash discount offers must allow not less than 30 days to be considered in bid evaluation. A bid offering a cash discount in a period of less than 30 days will be evaluated as a bid without a discount offer; however, should that bidder obtain award by consideration of the gross price, the County shall make every effort to obtain the discount. The County will not accept any payment terms with a period of less than 30 days.

2.6 Invoices against resulting order(s) must be submitted, to the Office of Budget and Finance, Disbursements Section, 400 Washington Avenue, Room 148, Towson, Maryland 21204-4665 or via email to disbursement@baltimorecountymd.gov with vendor name in the subject line. Invoices must show the vendor's Federal Tax Identification Number or Social Security Number, as appropriate, and order number and line number(s) that correspond with resulting order(s).

2.7 The County will not pay interest charges or other penalties for invoice payments.

2.8 Prices quoted shall be exclusive of all non-applicable Federal and Maryland State taxes. Tax exemption certificate will be furnished if required.

2.9 The County reserves the right to consider making payments via electronic funds transfers (EFT) on contracts for which this payment vehicle may be appropriate.

3. Reservations

3.1 The County reserves the right to reject, in whole or in part, any and all bids received, and to make a whole award, multiple awards, a partial award, or no award, to best serve the public interest.

3.2 The County may waive formalities in bids as the interests of the County may require.

3.3 The County reserves the right to increase or decrease quantities by approximately twenty (20) percent to be purchased at the prices bid.

3.4 The County reserves the right to award solicitations or place orders on a lump sum or individual item basis, or in such combination as to best serve the public interest.

3.5 The County may waive minor differences, irregularities, and technicalities in the specifications, provided they neither violate the specifications intent, materially affect the operation for which the items or services are being purchased, nor increase estimated maintenance and repair costs to the County.

3.6 At any time during normal business hours and as often as the County may deem necessary, the Contractor shall make available to and permit inspection and photocopying, by the County, its employees or agents, of all records, information and documentation of the Contractor related to the subject matter of this contract, including, but not limited to, all contracts, invoices, payroll, and financial audits.

3.7 Notwithstanding any other terms or provisions of the contract, in the event the County is temporarily or permanently prevented, restricted or delayed in the performance of any or all of the duties and obligations imposed upon or assumed by it thereunder, by act of the General Assembly of Maryland or the Baltimore County Council, by a court of competent jurisdiction or by administrative delay not due to the fault of the County (and its members and agents) shall not be liable directly or indirectly for any claims caused to or suffered by the Contractor or any other person in connection with or as a result of such prevention, restriction or delay.

3.8 The County further reserves the right to make such investigation as it deems necessary to determine the ability of bidders to furnish the required services, and bidders shall furnish all such information for this purpose as the County may request. The County also reserves the right to reject the proposal of any bidder who is not currently in a position to perform the contract, or who has previously failed to perform similar contracts properly, or in a manner acceptable to the County, all of which shall be in the County's sole discretion.

4. Delivery

4.1 Bidders shall guarantee delivery of materials in accordance with the delivery schedule stated in specifications. All items shall be delivered F.O.B. Destination/Inside Delivery, unless otherwise indicated, with delivery costs and charges included in the bid price.

4.2 The County reserves the right to charge the Contractor or vendor for each day the materials, supplies, or services are not delivered in accordance with the delivery schedule. The sum established by the specifications may be invoked at the discretion of the Procurement Services Agent, said sum to be considered not as a penalty, but as liquidated damages, and deducted from final payment, or otherwise, charged to the Contractor or vendor. This remedy is not exclusive but shall be in addition to all other rights and remedies available to the County. These liquidated damages shall be in addition to any and all actual damages incurred directly or indirectly by the County, its agents, assigns, and contractors.

4.3 All bidders and vendors are to ensure that packaging materials used for this requirement are not made of non-recyclable Styrofoam (Polystyrene). Additionally, any materials used in packing to cushion, protect and ship are to be made of recycled, recyclable or biodegradable materials.

5. Competition

5.1 The name of any manufacturer, trade name, or vendor catalog number mentioned in the specifications is for the purpose of designating a standard of quality and type, and for no other purpose unless otherwise stated in the solicitation.

5.2 A bidder may offer a price on only one unit per line item. Even though two or more units may meet the specification, bidders must determine for themselves which to offer. Submission by a bidder of prices for

more than one unit shall be sufficient cause for rejection of the bid for that specific item.

5.3 Bids which show omission, irregularity, alteration of forms or additions not called for, as well as conditional or unconditional unresponsive bids, or bids obviously unbalanced, may be rejected.

5.4 All bids must be accompanied by such descriptive literature as may be called for by the specifications or proposal.

5.5 If products to be provided to the County contain any substances that could be hazardous or injurious to a person's health, a material safety data sheet (MSDS) must be provided to the Division of Procurement Services. This applies also to any product used by a Contractor when providing a service to the County.

5.6 Specifications are based on County needs and uses, estimated costs of operations and maintenance, and other significant and/or limiting factors to meet County requirements, and to ensure consistency with County policies. Minimum specifications, and maximum specifications where included, are not established arbitrarily to limit competition or to exclude otherwise competitive bidders.

5.7 Unless multiple or alternate bids are requested in the solicitation, these bids may not be accepted. However, if a bidder clearly indicates a base bid, it shall be considered for award as though it were the only bid submitted by the bidder.

6. Terminations

6.1 Termination for Convenience: The County may terminate a contract, in whole or in part, without cause, by providing written notice thereof to the Contractor. In the event of termination, without cause, the County shall advise the Contractor in writing of the termination date and of work to be performed during the final days prior to contract termination. The Contractor shall be paid for all reasonable costs incurred by the Contractor up to the date of termination set forth in the written notice of termination. The Contractor will not be reimbursed for any anticipatory profits, which have not been earned up to the date of termination. Payments to be provided on a lump sum basis shall be prorated by the County based on the services rendered or goods delivered up to the date of termination set forth in the written notice.

6.2 Termination for Default:

6.2.1 In addition to other available rights and remedies, the County shall have the right upon the happening of any default, without providing notice to the Contractor: 1) To

terminate a contract immediately, in whole or in part; 2) To suspend the contractor's authority to receive any undisbursed funds; and/or 3) To proceed at any time or from time to time to protect and enforce all rights and remedies available to the County, by suit or any other appropriate proceedings, whether for specific performance or any covenant, term or condition set forth in the contract, or for damages or other relief, or proceed to take any action authorized or permitted under applicable law or regulations.

6.2.2 Upon termination of a contract for default, the County may elect to pay the Contractor for services provided or goods delivered up to the date of termination, less the amount of damages caused by the default, all as determined by the County in its sole discretion. If the damages exceed the undisbursed sums available for compensation, the County shall not be obligated to make any further disbursements hereunder.

6.3 Funding Out: If funds are not appropriated or otherwise made available to support contract continuation in any fiscal year, the County shall have the right to terminate the contract without prior notice to the Contractor and without any obligation or penalty.

7. Hold Harmless – Indemnification

7.1 The Contractor shall defend, indemnify and hold harmless the County, its employees, agents and officials from any and all liabilities, claims, suits, or demands including attorney's fees and court costs which may be incurred or made against the County, its employees, agents or officials resulting from any act or omission committed in the performance of the duties imposed by and performed under the terms of the contract. The Contractor shall not be responsible for acts of gross negligence or willful misconduct committed by the County.

7.2 The Contractor shall also defend, indemnify and hold harmless the County, its employees, agents and officials from any and all liabilities, claims, suits, or demands including attorney's fees and court costs which may be made against the County, its employees, agents or officials by any third party arising from the alleged violation of any third party's trade secrets, proprietary information, trademark, copyright, patent rights, or intellectual property rights in connection with the contract.

7.3 Unless notified in writing by the County to the contrary, the Contractor shall provide defense for the County, its employees, agents and officials in accordance with this Article and in doing so the Contractor shall allow the County to participate in said

defense of the County, its employees, agents and officials, to the extent and as may be required by the County and the Contractor shall cooperate with the County in all aspects in connection therewith. All filings, actions, settlements, and pleadings shall be provided to the County for comment and review prior to filing or entering thereof. No filing, action, settlement or pleading shall be filed or entered without the prior consent and approval of the County.

8. Minority/Women's Business Enterprise (MBE/WBE) and Small Business Notice: Baltimore County is seeking Minority, Woman and Small Businesses to bid on current solicitations as a prime or subcontractor. In accordance with the **Executive Order 2022-005 dated December 6, 2022**, "an overall goal of 23% of the cumulative total of all discretionary dollars spent in a fiscal year of County procurements is to be awarded to and/or performed by MBE and WBE firms." Refer to the section entitled Minority Business Enterprise and Women Business Enterprise Requirements (MBE/WBE) for the current required goal. MBE/WBE's and Small Businesses are encouraged to respond to this solicitation.

9. Authority

9.1 In case of disputes as to whether an item or service quoted or delivered meets specifications, the decision of the Procurement Services Agent or authorized representative shall be final and binding on both parties. The Procurement Services Agent may request the recommendation in writing of the head of the using agency, the Standards and Specifications Committee, or other objective sources.

9.2 Bidders desiring to appeal a decision of the Division of Procurement Services must deliver written protests to the Division of Procurement Services within 10 days of notification of award. The Procurement Services Agent or designee will review the protested decision, examine any additional information provided by the bidder and respond in writing within 10 working days of receipt of written protests.

9.3 Instructions, Specifications, and Proposals are issued, and all bids, quotations, orders, and purchases are made pursuant and subject to the provisions of the Baltimore County Charter, and Article 10, Title 2 of the Baltimore County Code, 2003, as amended, and regulations and policies established or prescribed by the Division of Procurement Services.

10. HIPAA: The Contractor shall comply with the Health Insurance Portability and Accountability Act (HIPAA) and shall execute a Business Associate Agreement as may be required by the County.

11. Reports: When required, reports prepared for Baltimore County should be printed on recycled and recyclable paper printed on both sides per Section 10-2-312 of the Baltimore County Code, 2003, as amended.

12. Terms of Contract

12.1 Any contract awarded pursuant to this solicitation shall be by and between the successful bidder and the County, and shall contain and incorporate, but may not be limited to, all terms and conditions of the solicitation, any amendments or changes thereto. Submission of a bid in response to this solicitation evidences the Contractor's acceptance of the terms and conditions therein.

12.2 The provisions of the contract awarded pursuant to this solicitation shall be governed by the laws and regulations of Maryland and Baltimore County.

12.3 Any litigation arising out of or relating in any way to the contract or the performance thereunder shall be brought only in the courts of Maryland, and the Contractor hereby irrevocably consents to such jurisdiction. To the extent that the County is a party to any litigation arising out of or relating in any way to the contract or the performance thereunder, such an action shall be brought only in a court of competent jurisdiction in the courts of the State of Maryland.

13. Severability: If any provisions in the contract are declared by a court or other lawful authority to be unenforceable or invalid for any reason the remaining provisions hereof shall not be affected thereby and shall remain enforceable to the full extent permitted by law.

14. Counterparts: The contract may be executed in any number of counterparts and by different parties hereto in separate counterparts, each of which when so executed and delivered shall be deemed to be an original and all of which taken together shall constitute but one and the same instrument.

15. Survival: The provisions of paragraphs 1.7 (Representations and Warranties), 4.2 (Damages), 7 (Indemnification), and 10 (HIPAA) shall survive delivery of commodities and/or performance of services.

16. No Waiver, Etc.: No failure or delay by the County to insist upon the strict performance of any term, condition or covenant of the contract, or to exercise any right, power, or remedy consequent upon a breach thereof, shall constitute a waiver of any such term, condition, or covenant or of any such breach, or preclude the County from exercising any such right, power, or remedy at any later time or times.

17. Maryland Registration / Qualification Requirements:

17.1 Baltimore County verifies the company's status with SDAT and may require the successful bidder to submit a Good Standing Certificate (also known as a "Certificate of Status") issued by the Maryland Department of Assessment and Taxation's ("SDAT") Charter Division, and the State of Organization.

17.2 For information on registering to do business in the State of Maryland or to download SDAT related forms visit the Maryland Department of State Department of Assessments & Taxation at <https://businessexpress.maryland.gov/>.
If you need additional assistance call (410) 767-1184.

17.3 Baltimore County requires the successful bidder to be in "good standing" (also known as Certificate of Status) with the State in which it is organized, and in the State of Maryland, under certain circumstances. Baltimore County verifies the successful bidder's status with SDAT. Non-compliance to this section may result in a delay in contract award or rejection of a bid.

18. Eligibility of Candidates for Employment:

18.1 The E-Verify program is an internet-based employment verification system that allows employers to verify employee status against Federal Social Security and immigration databases.

18.2 Baltimore County encourages employers to utilize the E-verify program, or an equivalent system, as a means to help employers determine the eligibility of new hires.

19. Warranty:

19.1. Contractor warrants for one year from acceptance, or for such longer period otherwise expressly stated in the attached solicitation, all goods, services, and construction provided. This includes a warranty against any and all defects. The contractor must correct any and all defects in material and/or workmanship that may appear during the warranty period, even if discovered after the end of the warranty period, by repairing any such defect, (or replacing with new items or new materials, if necessary), at no cost to the County and to the County's satisfaction.

19.2. Should a manufacturer's or service provider's warranty exceed the requirements stated above, that warranty will be the primary one used in the case of defect. Copies of manufacturer's or service provider's warranties must be provided upon request.

19.3. All warranties must be in effect from the date of acceptance by the County of the goods, services, or construction.

19.4. The contractor warrants that all work shall be accomplished in a workmanlike manner, and the contractor must observe and comply with all Federal, State, County and local laws, ordinances and regulations in providing the goods, and performing the services or construction.

20. American Manufactured Goods Required for Public Works:

20.1 The Contractor shall comply with Section 14-416 of the Maryland State Finance and Procurement Article which requires a contractor or subcontractor to use or supply American Manufactured goods in the performance of a contract for (a) constructing or maintaining a public work; or (b) buying or manufacturing machinery or equipment that is to be installed at a public work site, as the same may be amended from time to time.

20.2 This section does not apply: (a) if Baltimore County determines that: (i) the price of the American manufactured goods exceeds the price of a similar manufactured good that is not manufactured in the United States by an unreasonable amount; (ii) the item or a similar item is not manufactured or available for purchase in the United States in reasonably available quantities; (iii) the quality of the item or a similar item manufactured in the United States is substantially less than the quality of a comparably priced, similar, and available item that is not manufactured in the United States; or (iv) the procurement of a manufactured good would be inconsistent with the public interest; or (b) to emergency life safety and property safety goods.

20.3 The Contractor shall certify to Baltimore County whether the offered goods and/or services are provided in the United States.

**BALTIMORE COUNTY, MARYLAND
PROCUREMENT AFFIDAVIT**

A. AUTHORIZED REPRESENTATIVE

I HEREBY AFFIRM THAT:

I am the [title] _____ and I am duly authorized to represent and bind [business name] _____ (the "Business") and that I possess the legal authority to make this Affidavit on behalf of myself and the Business for which I am acting.

B. AFFIRMATION REGARDING BRIBERY CONVICTIONS

I FURTHER AFFIRM THAT:

Neither I, nor to the best of my knowledge, information, and belief, the Business, directly involved in obtaining or performing contracts with public bodies (as is defined in Section 16-101(f) of the State Finance and Procurement Article of the Annotated Code of Maryland), has been convicted of, or has had probation before judgment imposed pursuant to Article 27, Section 6-225 of the Criminal Procedure Article of the Annotated Code of Maryland, or has pleaded nolo contendere to a charge of, bribery, attempted bribery, or conspiracy to bribe in violation of Maryland law, or of the law of any other state or federal law, except as follows [indicate the reasons why the affirmation cannot be given and list any conviction, plea, or imposition of probation before judgment with the date, court, official or administrative body, the sentence or disposition, the name(s) of person(s) involved, and their current positions and responsibilities with the Business]:

C. AFFIRMATION REGARDING OTHER CONVICTIONS

I FURTHER AFFIRM THAT:

Neither I, nor to the best of my knowledge, information, and belief, the Business, nor any of its officers, directors, partners, members, affiliates, or any of its employees directly involved in obtaining or performing contracts with public bodies, has:

(1) Been convicted under state or federal statute of a criminal offense incident to obtaining, attempting to obtain, or performing a public or private contract, fraud, embezzlement, theft, forgery, falsification or destruction of records, or receiving stolen property;

(2) Been convicted of any criminal violation of a state or federal antitrust statute;

(3) Been convicted under the provisions of Title 18 of the United States Code for violation of the Racketeer Influenced and Corrupt Organization Act, 18 U.S.C. §1961, et seq., or the Mail Fraud Act, 18 U.S.C. §1341, et seq., for acts arising out of the submission of bids or proposals for a public or private contract;

(4) Been convicted of a violation of the State Minority Business Enterprise Law, Section 14-308 of the State Finance and Procurement Article of the Annotated Code of Maryland;

(5) Been convicted of conspiracy to commit any act or omission that would constitute grounds for conviction or liability under any law or statute described in subsection (1), (2), (3), or (4) above;

(6) Been found civilly liable under a state or federal antitrust statute for acts or omissions in connection with the submission of bids or proposals for a public or private contract;

(7) Admitted in writing or under oath, during the course of an official investigation or other proceedings, acts or omissions that would constitute grounds for conviction or liability under any law or statute described above, except as follows [indicate reasons why the affirmations cannot be given, and list any conviction, plea, or imposition

of probation before judgment with the date, court, official or administrative body, the sentence or disposition, the name(s) of the person(s) involved and their current positions and responsibilities with the Business, and the status of any debarment]:

D. AFFIRMATION REGARDING DEBARMENT

I FURTHER AFFIRM THAT:

Neither I, nor to the best of my knowledge, information, and belief, the Business, nor any of its officers, directors, partners, members, affiliates, or any of its employees directly involved in obtaining or performing contracts with public bodies, has ever been suspended or debarred (including being issued a limited denial of participation) by any public entity, except as follows [list each debarment or suspension providing the dates of the suspension or debarment, the name of the public entity and the status of the proceeding, the name(s) of the person(s) involved and their current positions and responsibilities with the Business, the grounds of the debarment or suspension, and the details of each person's involvement in any activity that formed the grounds of the debarment or suspension]:

E. AFFIRMATION REGARDING DEBARMENT OF RELATED ENTITIES

I FURTHER AFFIRM THAT:

(1) The Business was not established and it does not operate in a manner designed to evade the application of or defeat the purpose of debarment pursuant to Sections 16-101, et seq., of the State Finance and Procurement Article of the Annotated Code of Maryland; and

(2) The Business is not a successor, assignee, subsidiary, or affiliate of a suspended or debarred business, except as follows: [you must indicate the reasons why the affirmations cannot be given without qualification]:

F. SUB-CONTRACT AFFIRMATION

I FURTHER AFFIRM THAT:

Neither I, nor to the best of my knowledge, information, and belief, the Business, has knowingly entered into a contract with a public body under which a person debarred or suspended under Title 16 of the State Finance and Procurement Article of the Annotated Code of Maryland will provide, directly or indirectly, supplies, services, architectural services, construction related services, leases of real property, or construction.

G. AFFIRMATION REGARDING COLLUSION

I FURTHER AFFIRM THAT:

Neither I, nor to the best of my knowledge, information, and belief, the Business, nor any of its employees, have in any way:

(1) Agreed, conspired, connived, or colluded to produce a deceptive show of competition in the compilation of the accompanying bid or offer that is being submitted;

(2) In any manner, directly or indirectly, entered into any agreement of any kind to fix the bid price or price proposal of the bidder or offeror or of any competitor, or otherwise take any action to impact, restrain, or inhibit free competitive bidding in connection with the contract for which the accompanying bid or offer is submitted;

(3) Colluded with anyone to obtain information concerning the bid that would give the Business an unfair advantage over others.

H. AFFIRMATION REGARDING POLITICAL CONTRIBUTION DISCLOSURE

I FURTHER AFFIRM THAT:

The Contractor affirms that it is aware of, and will comply with, the provisions of Sections 14-101 through 14-108 of the Election Law Article of the Annotated Code of Maryland, which require that every person who makes, during any 12-month period, one or more contracts, with one or more Maryland governmental entities involving cumulative consideration, or at least \$200,000.00, shall file with the State Board of Elections certain specified information to include disclosure of attributable political contributions in excess of \$500 during defined reporting periods.

I. CERTIFICATION OF REGISTRATION AND TAX PAYMENT

I FURTHER AFFIRM THAT:

(1) The business was formed in the State of *(Insert State Name)*: _____

(2) The Business is a *(please select one)*:

- Corporation
- Partnership
- Limited Liability Company
- Limited Liability Partnership
- Sole Proprietor
- Other: _____

(If sole proprietor #3 below does not apply, continue to #4.)

(3) Is this business registered with the Maryland State Department of Assessments and Taxation (“SDAT”) in accordance with the Corporations and Associations Article of the Annotated Code of Maryland?

Yes No

a. If yes, is the business in good standing in the State of Maryland, and has it filed all of its annual reports, together with filing fees? Yes No

b. Resident Agent as shown in SDAT:

Name: _____

Address: _____

c. If not, is the business in good standing in the formed in State of origination? Yes No

(4) Except as validly contested, has the -Business -paid, or -arranged for payment of, all taxes due the State of Maryland and Baltimore County, and -filed all required returns and reports with the Comptroller of the Treasury, the State Department of Assessments and Taxation, and the Employment Security Administration, as applicable, and -paid all withholding taxes due the State of Maryland prior to final settlement?

Yes No

J. CONTINGENT FEES

I FURTHER AFFIRM THAT:

The Business has not employed or retained any person, partnership, corporation, or other entity, other than a bona fide employee or agent working for the Business, to solicit or secure the Contract, and that the Business has not paid or agreed to pay any person, partnership, corporation, or other entity, other than a bona fide employee or agent, any fee or other consideration contingent on the making of the Contract.

K. AFFIRMATION OF NONDISCRIMINATION IN EMPLOYMENT

I FURTHER AFFIRM THAT:

During the performance of any contract awarded pursuant to the solicitation of which this affidavit is a part:

(1) The Business will not discriminate against any employee or applicant for employment because of race, color, religion, sex, age, national origin, marital status, sexual orientation, genetic information, or disability unrelated in nature and extent so as to reasonably preclude the performance of the employment, or because of the individual's refusal to submit to a genetic test or make available the results of a genetic test. The Business will take affirmative action to ensure that applicants are employed, and that employees are treated during employment, without regard to their race, color, religion, sex, age, national origin, marital status, sexual orientation, genetic information, status as a veteran, or disability unrelated in nature and extent so as to reasonably preclude the performance of the employment, or because of the individual's refusal to submit to a genetic test or make available the results of genetic test. Such action shall include, but not be limited to the following: employment, promotion, upgrading, demotion or transfer, rates of pay or other forms of compensation; and selection for training, including apprenticeship. The Business agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided by the owner setting forth provisions of this nondiscrimination clause.

(2) The Business will, in all solicitations or advertisements for employees placed by or on behalf of the Business, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex, age, national origin, marital status, sexual orientation, genetic information, status as a veteran or disability unrelated in nature and extent so as to reasonably preclude the performance of the employment, or because of the individual's refusal to submit to a genetic test or make available the results of a genetic test.

(3) The Business shall send to each labor union or representative of workers with which the Business has a collective bargaining agreement or other contract or understanding, a notice, to be provided by the owner, advising the said labor union or workers' representative of these commitments, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

(4) The Business shall furnish, if requested by the County, a compliance report concerning our employment practices and policies in order for the County to ascertain compliance with the special provisions of this affidavit concerning nondiscrimination in employment.

(5) In the event of the Business's noncompliance with the nondiscrimination clause of this affidavit, the contract may be canceled, terminated, or suspended in whole or in part, and the Business may be declared ineligible for further County work.

(6) The Business shall include the special provisions outlined herein pertaining to nondiscrimination in employment in every subcontract, so that such nondiscrimination in employment provisions shall be binding on each subcontractor or vendor.

L. FOREIGN CONTRACTS DISCLOSURES

I FURTHER AFFIRM THAT:

- (1) The Business affirms that it is aware of, and will comply with, the provisions of Sections 10-2-110 Article 10. Finance, Title 2 – Purchasing, Baltimore County Code 2003, as amended, which requires that prior to the award of a contract for services under the provisions of this title, and during the entire term of a contract award, the bidder or vendor shall disclose to the County whether any services covered by the bid or contract, including any subcontracted services, will be performed outside the United States.
- (2) The Business affirms that it is aware of, and will comply with, the provisions of Section 12-111 of the Maryland State Finance Procurement Article, which requires bidders to make certain disclosures relating to subcontractors or services, regarding plans at the time the bid is submitted, to perform any services with an estimated value of \$2 million or more under the contract outside the United States. This provision applies to: (1) construction-related services; (2) architectural services; (3) engineering services; or (4) energy performance contract services. The provision requires bidders to disclose:

- a. Whether the Business or any contractor that the Business will subcontract with to perform the contract has plans, at the time the bid is submitted, to perform any services required under the contract outside the United States; and
 - b. If the services under the contract are anticipated to be performed outside the United States;
 - c. Where the services will be performed; and
 - d. The reasons why it is necessary or advantageous to perform the services outside the United States.
- (3) Indicate below whether or not the Business has information to disclose. (**You must check one of these**)
- [] The Business has no plans, at the time the bid is submitted, to perform any services under the contract outside the United States.
 - [] The Business has plans, at the time the bid is submitted, to perform services under the contract outside the United States.
 - i. The services will be performed in the following location: _____
 - ii. It is necessary or advantageous to perform the services outside the United States for the following reason(s): _____

M. AFFIRMATION REGARDING INVESTMENT ACTIVITIES IN IRAN

I FURTHER AFFIRM THAT:

At the time the bid/proposal is submitted, or if the contract is renewed, the Business:

- i. Is not identified on the list created by the Maryland State Board of Public Works as a person, Business or entity engaging in investment activities in Iran as described in Section 17-702 of the Maryland State Finance and Procurement Article ; or
- ii. Is not engaging in investment activities in Iran as described in Section 17-702 of the Maryland State Finance and Procurement Article.

If the Business is unable to make the certification, it will provide the County, under penalty of perjury, a detailed description of the Business' investment activities in Iran.

N. ACKNOWLEDGMENT

I ACKNOWLEDGE THAT this Affidavit is to be furnished to the County and may be distributed to units of (1) Baltimore County; (2) the State of Maryland; (3) other counties or political subdivisions of the State of Maryland; (4) other states; and (5) the federal government. I further acknowledge that this Affidavit is subject to applicable laws of the United States and the State of Maryland, both criminal and civil, and that nothing in this Affidavit or any contract resulting from the submission of this bid or proposal shall be construed to supersede, amend, modify or waive, on behalf of Baltimore County, or the State of Maryland or any unit of the State of Maryland having jurisdiction, the exercise of any right or remedy at Law or in equity with respect to any misrepresentation made or any violation of the obligations, terms and covenants undertaken by the Business with respect to (a) this Affidavit, (b) the contract, and (3) other Affidavits comprising part of the contract.

I DO SOLEMNLY DECLARE AND AFFIRM UNDER THE PENALTIES OF PERJURY THAT THE CONTENTS OF THIS AFFIDAVIT ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE, INFORMATION, AND BELIEF, AFTER DILIGENT INQUIRY.

Date: _____

By: _____

Name:
 Title:
 (Authorized Representative and Affiant)



First Source Hiring Agreement Overview

What is First Source Hiring?

Baltimore County's First Source Hiring Agreement requires that developers, contractors, and employers utilize good faith efforts toward employing economically disadvantaged Baltimore County residents in newly created positions on applicable projects. These efforts are supported by Baltimore County's workforce development system, a partnered network of business and economic development professionals, education and training providers, and human service agencies working together systematically to provide a ready supply of qualified workers to employers with hiring needs. The intent of First Source is to connect these individuals with new jobs that are generated by the County's investment in contracts or public works; or by business activity that requires approval by the County's Department of Economic and Workforce Development.

The goals of the First Source Hiring Agreement are to:

- Increase awareness of the resources, services and potential benefits available to help Baltimore County employers meet their workforce needs; and,
- Give economically disadvantaged individuals the first opportunity to apply for new jobs in Baltimore County.

Which businesses can participate in First Source Hiring?

1. Businesses who have leases with the County or on County property; or,
2. Businesses with County contracts for goods, services, and grants under \$300,000 which are projected to create new jobs/positions to fulfill contract terms

How can first source help your business?

Baltimore County Department of Economic & Workforce Development's (DEWD's) Business Services Team can help coordinate recruitment services with our workforce partners in collaboration with our three Baltimore County Career Center locations to assist with finding pre-screened, qualified candidates.

Available services may include but are not limited to:

- Posting and promotion of employment opportunities through our network of service providers
- Access to diverse talent pools from within Baltimore County's workforce system
- Access to Baltimore County Career Centers for coordinated recruitment/interviewing activities
- Referral of pre-screened, qualified candidates for employer consideration
- Assistance with using the Maryland Workforce Exchange - a statewide job database and candidate matching platform

- Information on earning tax credits and other employer benefits for new hires (if applicable)
- Workforce and Business Services staff to assist you throughout your recruitment efforts

I'd like to participate in First Source Hiring...Where do I start?

Step #1: Register your business with the [Maryland Workforce Exchange](#). This is an online database to track First Source Hiring job opportunities. As an employer, the Maryland Workforce Exchange can help you promote job openings, search for qualified candidates and share placement information.

Step #2: Businesses or non-profits who receive a non-construction or professional services contract from Baltimore County under \$300,000 are required to project the number of job openings they expect during the contract period. After registering your business with [Maryland Workforce Exchange](#), complete the **First Source Hiring Description Form** and email it to the Baltimore County Department of Economic and Workforce Development (DEWD) at firstsourcehire@baltimorecountymd.gov . If you have any questions about registering with MWE or completing the form, contact our office at 410-887-8000.

Step #3: Once you are registered in MWE and Baltimore County receives your **First Source Hiring Description Form** via email, you will be contacted by a member of the Business Development Team to assist with recruitment for your open positions.

Helpful Tips:

Businesses that qualify are asked to post their openings with Baltimore County's First Source Hiring network of service providers, and offer the County the first opportunity to refer qualified candidates to those positions. While the agreement does not require an employer to hire a specific candidate, it does ask that employers make a good faith effort to hire referrals from the County's workforce development system. We ask that employers would report basic information for any new hires by entering the placement data in the Maryland Workforce Exchange, or by completing an Employment Verification and Employer Survey Form (see FORM 2 attached) or via email at the completion of your recruitment activities.

Company Name	Contact Name
Company Address	City, MD
E-mail Address	Telephone
Acknowledgment Signature	Date

INTENT TO BID FORM

Solicitation No: B-10000353
Title: UNIFORMS, CUSTOM, POLICE

Submittal of this form allows us to complete our vendor responsibility review prior to the proposal opening for those vendors that intend to submit a proposal. Submittal of this form in no way obligates your company to submit a proposal. Please email the completed form to (smulai@baltimorecountymd.gov) by 03/20/2025, 2:00pm.

If you have chosen not to respond to this solicitation, please indicate the reason(s) below:

- Other commitments preclude our participation at this time.
 - The subject of the solicitation is not something we ordinarily provide.
 - We are inexperienced in the work/commodities required.
 - Specifications are unclear, too restrictive, etc. (Explain in REMARKS section.)
 - The scope of work is beyond our present capacity.**
 - Time allotted for completion of the Bid/Proposal is insufficient.
 - Start-up time is insufficient.
 - Bonding/Insurance requirements are restrictive. (Explain in REMARKS section.)
 - Other: _____
-
-

Vendor Name: _____ Date: _____

Contact Person: _____ Phone (____) _____ - _____

Address: _____

E-mail Address: _____

SIDE 2

MBE / WBE Certification	
<p>Maryland Department of Transportation (MDOT)</p> <p>Certification #: _____</p> <p>Certification Date: _____ / _____ / _____</p> <p>Pending: _____</p>	<p>City of Baltimore</p> <p>Certification #: _____</p> <p>Certification Date: _____ / _____ / _____</p> <p>Pending: _____</p>

Business Ownership (Check Only One)					
	G	Government Entity		O	Other: _____
	H	Disabled		P	Non Profit
	MA	Minority-owned, Not small business		W	Woman-owned, Small business
	M	Minority-owned, Small business		WA	Woman-owned, Not small business
	NS	Non-minority-owned, small business		X	Woman-owned, Minority, Small business
	NL	Non-minority-owned, Large business		XA	Woman-owned, Minority, Not small business

Type of Business/Organization			
	Association		Attorney
	Government Entity		Educational Institution
	Medical Service Provider		Non-profit Organization
	Other: (explain)		Financial Institution

Ethnicity of Ownership (Check Only One)					
	A	Asian American		I	American Indian/Alaskan Native
	B	African American		N	Non-minority
	H	Hispanic American		O	Other Ethnic Group: _____

Incorporation	
Incorporation State: _____	OR Date Business Started _____ / _____ / _____

Signature		
I certify that the information shown on this registration is true and correct. I will advise the Division of Procurement Services immediately, in writing, of any change affecting this data.		
Signature: _____	Title: _____	Date: _____

**BALTIMORE COUNTY, MARYLAND
REQUEST FOR BID NO. B-1000353
UNIFORMS, CUSTOM, POLICE**

GENERAL CONDITIONS

1. SCOPE.

- 1.1 It is the intention of these specifications that the vendor hereunder shall furnish and Baltimore County shall purchase uniforms covered by this contract which the County may require during the period of time specified. The quantities shown are approximate and are for the purpose of bid evaluation.
- 1.2 The County reserves the right to order supplies that may be required during the said period, and it also reserves the right not to order supplies bid upon by the vendor, if it is found that such supplies are not required by the County during the period covered by this contract.

2. TERM OF AGREEMENT.

- 2.1 The term of the contract shall be for one (1) year. The County reserves the right to renew this contract for up to four (4) additional one-year renewal options under the same terms and conditions. The County will automatically renew the contract on each option year unless notice is given to the Contractor that the contract is not renewed.
- 2.2 If price adjustments are requested pursuant to the terms of the contract, the Contractor must notify the Baltimore County Purchasing Division at least ninety (90) days prior to the current term's expiration date.

3. PRICES.

- 3.1 Prices quoted must remain firm for the period covered by the contract, unless price escalation is herein specified. Prices quoted shall include delivery costs and charges.

4. METHOD OF AWARD.

- 4.1 Award of this contract may be in whole or in part. The County reserves the right to make awards on an individual item basis, combination item basis, or lump sum basis, whichever is in the best interest of the County. In accordance with Sec. 10-2-406 of the Baltimore County Code, 2015, as amended, past performance of bidders in furnishing goods and services to Baltimore County will be considered in determining the award.

5. BUY AMERICA APPAREL AND SAFETY EQUIPMENT. The bidder hereby agrees that all apparel and safety equipment purchased will be and/or have been produced in the United States unless a waiver of these requirements is approved based on the following:

- 5.1 The item is not manufactured or available for purchase in the United States or is not manufactured or available in reasonable quantities,
- 5.2 The price of the item manufactured in the United States exceeds the price of a similar item not manufactured in the United States by an unreasonable amount, or
- 5.3 The quality of the item manufactured in the United States is substantially less than the quality of a similar item not manufactured in the United States.

- 5.4 The bidder must provide in their bid package any further verified information, certification or assurance of compliance with this paragraph, or information necessary to support a waiver of these requirements, as required by Baltimore County.

6. SAMPLES AND TEST.

- 6.1 It is the intent of these specifications to describe, as nearly as possible, the style and type of uniform which will be required from the successful bidder.
- 6.2 The successful bidder may be required to furnish samples for evaluation prior to award for inspection and approval by an official representative of Baltimore County. Samples furnished must conform exactly to the specifications herein unless otherwise specified by the buyer. Samples furnished with deviations must be clearly marked. When required, samples shall be furnished within seven (7) calendar days upon request. Samples not provided in accordance with the specifications or within the time specified may result in rejection of the bid.
- 6.3 The using agency may retain samples from the successful bidder until delivery of the first order if so desired. All workmanship used in the manufacture and construction of the uniform garments covered by these specifications shall be the best used in modern practice.
- 6.4 Any manufacturer wishing to bid an equal fabric must submit, along with their bid, a report from the United States Test Company or a recognized independent-testing laboratory certifying that the fabric they intend to furnish has been tested and found to be equal to the material specified.
- 6.5 The County reserves the right to submit samples for testing by the International Fabricare Institute. In the event the test shows the goods to be deficient, the vendor will be responsible for expenses incurred for the test.
- 6.6 Samples will not be returned unless the vendor indicates the requirement to do so at the time the sample is furnished, and then only at the vendor's expense. Failure to arrange for pick-up of released samples within thirty (30) calendar days will result in disposal of the samples.

7. PURCHASE ORDERS AND PROCUREMENT CARDS.

- 7.1 Orders exceeding \$2,500 in total will be placed via purchase order by the Buyer. Any orders under \$2,500 will be placed by the using agency and shall be charged directly to agency's procurement cards. Purchase orders issued within the term of this contract, even if not completed within the term of this contract, shall continue to be bound by the terms and conditions herein.
- 7.2 Purchase orders will be issued from time to time by the Buyer for such quantities as to satisfy requirements of the County. Specific quantities and delivery information will be indicated on Purchase orders. Each Purchase order will refer to the Supplier Contract number. Purchase orders issued within the term of the contract, even if not completed within the term of the contract, shall continue to be bound by the terms and conditions herein.

8. COOPERATIVE PURCHASE.

- 8.1 The County reserves the right to extend all of the terms, conditions, specifications, and unit or other prices of any contract resulting from this bid to any and all public bodies, subdivisions, school districts, community colleges, colleges, and universities including non-public schools. This is conditioned upon mutual agreement of all parties pursuant to special requirements which may be appended thereto. The vendor agrees to notify the issuing body of those entities that wish to use any contract resulting from this bid and will also provide usage information, which may be requested.
- 8.2 The County assumes no authority, liability or obligation, on behalf of any other public or non-public entity that may use any contract resulting from this bid. All purchases and payment transactions will be made directly between the vendor and the requesting entity. Any exceptions to this requirement must be specifically noted in the bid/proposal response.

9. MULTI-AGENCY PROCUREMENT.

- 9.1 Baltimore County reserves the right to extend the terms and conditions of this contract to any and all other County agencies requiring these commodities and/or services. A delivery order will be issued against the original master agreement, confirming the contracted pricing and giving quantity and delivery requirements.

10. ESCALATION.

- 10.1 IF Bidder is a DISTRIBUTOR: All unit prices offered herein shall be firm against any increase for one (1) year from effective date of this proposed contract. After this date, it shall be the vendor's responsibility to notify the Buyer in advance of any anticipated changes in prices and submit a request for a price increase by furnishing bona-fide manufacturer's documents or price list reflecting the changes. Increases shall be limited to the actual cost increase to the vendor.
- 10.2 IF Bidder is a MANUFACTURER: All unit prices offered herein shall be firm against any increase for one (1) year from the effective date of the contract. Prior to commencement of subsequent renewal terms, the County may entertain a request for escalation in accordance with the current Consumer Price Index at the time of the request or up to a maximum 5% increase on the current pricing, whichever is lower.
- 10.3 For purposes of this section, "Consumer Price Index" shall mean the Consumer Price Index-All Urban Consumers-United States Average-All Items (CPI-U), as published by the United States Department of Labor, Bureau of Labor Statistics.
- 10.4 The County reserves the right to accept or reject the request for a price increase within fourteen (14) days. If the price increase is approved, the price will remain firm for 365 days from the date of the increase.

11. DELIVERIES.

- 11.1 Deliveries shall be made promptly. If deliveries are not made within sixty (60) days after receipt of order, the Purchasing Agent reserves the right to procure the supplies/services elsewhere on the open market, in which event, the extra cost of procuring the supplies/services may be charged against the Contractor and deducted from any monies due or which may become due it.

- 11.2 If the Contractor is unable to supply requested supplies/services within the designated time, due to factory delay, strike or any unforeseen circumstances, the Contractor must notify the Buyer of the delay and the anticipated delivery date. Failure to comply with this requirement will result in a poor performance rating which is considered in subsequent awards.
- 11.3 Failure to meet delivery date and to provide supplies/services as specified may result in written termination of the contract.

12. CONTRACTOR QUALIFICATIONS.

- 12.1 At the option of the County, bidders/offerors may be required to furnish evidence of sufficient financial responsibility to fulfill this contract, and evidence that they have, or can obtain the necessary equipment, manpower, and storage facility to ensure delivery within the parameters of this contract.
- 12.2 Bidders/Offerors must provide at least two (2) references (names of contact persons and phone numbers) of similar sized contracts serviced during the past eighteen (18) months.
- 12.3 Prior to award of this contract, the County reserves the right to inspect the facilities of any bidder/offeror. The reputation of bidders regarding adequacy of their resources and facilities, and past records of their skillful performance of work of the type and magnitude required herein shall be considered when making the award.

13. MEASUREMENTS AND FITTING.

- 13.1 The successful bidder may be required to take all measurements at the respective department location in Baltimore County.
- 13.2 The successful bidder shall be required to make such fittings as are necessary without cost to Baltimore County in the event of change in weight or individual from the time measurements are taken and clothing is delivered.
- 13.3 These measurements shall be taken within 48 hours after receipt of a request to take such measurements.
- 13.4 Vendor must have a company representative or authorized dealer available to assist with fitting of the garments at no additional charge if needed. Vendor must also be available for monthly measurements at the Police Headquarters for all County contracts.

14. CONSTRUCTION AND WORKMANSHIP.

- 14.1 All workmanship used in the manufacture and construction of the uniform clothing covered by these specifications shall be the best used in modern practice.
- 14.2 The decision of the official representatives of the using agencies as to fit shall be final.
- 14.3 The misfits or alterations that cannot be adjusted to their satisfaction after two attempts by the Contractor, shall result in the rejection of the clothing and the Contractor shall be required to furnish new garments.
- 14.4 The right is reserved to reject any clothing not conforming with these specifications in workmanship.

14.5 The right is also reserved to test material removed from the complete garment in each or any lot of uniform clothing delivered and should such material fail to conform with these specifications in any way, the entire lot may be rejected and replacement required.

15. **CODE OF CONDUCT.** All garments must be produced in acceptable non-sweatshop working conditions. Verification of acceptable working conditions will be made through a completed Code of Conduct document that must be made available to the department. This document should list the location of the manufacturing companies/facilities and address child labor, wage and benefits, overtime, forced labor, freedom of association, harassment or abuse, health and safety, hours of work, nondiscrimination, and no retaliation guidelines. Noncompliance of this clause is cause for rejection. Compliance with this paragraph shall apply to all uniform items listed in this solicitation.

16. **LABELING.** All garments shall have permanently attached and lettered in permanent ink a label showing:

16.1 Date of manufacture.

16.2 Basic sizes of garment.

17. **EMBLEMS.**

17.1 Where applicable, the cost of sewing emblems on uniforms shall be included in the bid price.

17.2 Emblems shall be supplied by the County agencies.

18. **COUNTY HOLIDAYS.**

New Year's Day	Labor Day
MLK, Jr. Birthday	Indigenous People's Day
Presidents' Day	General Election Day (each even year)
Memorial Day	Veterans' Day
Juneteenth Day	Thanksgiving Day
Independence Day	Christmas Day

19. **QUESTIONS AND INQUIRIES; ADDENDA.**

19.1 If it becomes necessary to revise any part of this solicitation, addenda will be posted on the web site at www.baltimorecountymd.gov/purchasing.

19.2 Bidders must acknowledge receipt of all addenda by returning the signed Amendment Cover Page with their bid submissions. All official correspondence in regard to the specifications should be directed to and will be issued by the Purchasing Division. Bidders are cautioned that the County assumes no responsibility for oral explanations or interpretations of solicitation documents.

19.3 Any Inquiries relative to this bid should be directed to Samantha Mulai, the Buyer, at (410) 887-8362 or smulai@baltimorecountymd.gov.

19.4 **The deadline for written questions pertaining to this solicitation is seven (7) working days prior to the due date of proposals.**

20. **UTILIZATION OF BALTIMORE COUNTY'S DEPARTMENT OF ECONOMIC AND WORKFORCE DEVELOPMENT.**

20.1 Baltimore County's First Source Hiring Agreement requires that developers, contractors, and employers utilize good faith efforts toward employing economically disadvantaged Baltimore County residents in newly created positions on applicable projects. These efforts are supported by Baltimore County's workforce development system, a partnered network of business and economic development professionals, education and training providers, and human service agencies working together systematically to provide a ready supply of qualified workers to employers with hiring needs.

The Contractor may use Baltimore County's Department of Economic and Workforce Development as a "First Source" for training and recruitment of employees. To utilize "First Source" the Contractor/vendor may notify the Department of Economic and Workforce Development of employment opportunities to present qualified candidates to the Contractor/vendor for consideration. The Contractor/vendor may use reasonable efforts to consider qualified Baltimore County residents who are either unemployed or under-employed for all available positions. For additional information call 410-887-8000 or visit: <http://www.baltimorecountymd.gov/Agencies/economicdev/business/workforce/recruiting-retention.html>

21. **ELECTRONIC SUBMITTAL PROCESS.**

21.1 The cost of preparing Bids is the responsibility of Bidders.

21.2 **To be considered, Bids shall be received by the bid closing date and time to the following e-mail address: bid@baltimorecountymd.gov. The Bid Number should be referenced in the Subject Line of the e-mail. Bids may not be submitted by any other means. Bids that are mailed or otherwise delivered to the Division of Procurement Services (including emails which indicate links to locations where the bid may be downloaded) and/or emails sent to any other Baltimore County email address will not be accepted.**

21.2.1 **DO NOT CARBON COPY** (cc) the buyer on the bid submission.

21.3 Late Bids will not be considered. Bidders are strongly encouraged not to wait until the last minute to submit bids. The time stated on the auto-receipt (described below) will be definitive of the time of receipt. Bids received after the deadline will not be accepted. Bidders are advised that the County cannot receive email attachments greater in size than twenty-five (25) megabytes and this size limitation may be further reduced by requirements of the Bidder's email provider which are beyond the control of the County. Bidder should consider separating any large bid attachment into multiple parts and emailing each part separately. In such case, Bidder will note that each email is 1 of 2, 2 of 2, etc. Multiple part bids will not be considered unless all parts are received by the bid closing date and time.

21.4 After submitting a Bid to bid@baltimorecountymd.gov, and upon successful receipt by the County thereof, Bidder will receive an auto-receipt email. This receipt is proof that the bid has been received by the Division of Procurement Services and should be retained for Bidder's records. In the case of a bid submitted in multiple parts as described in 21.3, an auto-receipt email will be generated for each part. The County has no obligation to consider any Bid for which an auto-receipt was not generated.

- 21.5 As with any system, power outages or technology problems may arise that are outside of the County's control and could affect your submission. The County will not be held accountable for such issues that may delay the transmission of any Bid.
- 21.6 The County reserves the right to waive minor irregularities in conjunction with Bids.

**BALTIMORE COUNTY, MARYLAND
REQUEST FOR BID NO. B-10000353
UNIFORMS, CUSTOM, POLICE**

SPECIFICATIONS

1. DRESS BLOUSE (POLICE OFFICERS).

- 1.1 Material shall be 55% Dacron – 45% Wool Gaberdine, #603 P & F.
- 1.2 Construction of blouse shall be 4 button single breasted with notch lapel; shall have hand felled collar top and bottom; all seams to be sewn with silk thread for strength.
- 1.2.1 There shall be four (4) regulation Baltimore County Police Gilt buttons down the front; hand sewn and reinforced with four (4) hole black ivory button; lower button to be in line with top of lower flap button, and top button to be in line with upper pocket flap button.
- 1.2.2 The center vent shall be tacked firm from outer side; biswing back from shoulder to waist length, to be held in place with elastic.
- 1.2.3 The shoulder straps are to be constructed of material #539-120 and to be cross stitched and secured by gold Baltimore County police buttons; strap to extend under outer edge of collar and button so placed with button hole, that entire button is visible beyond outer edge of collar.
- 1.2.4 Coat to be ½ lined with heavy satin and must have ½” Diamond quilting at the chest to waist length; sweat shield shall be inserted at each arm pit; button holes to be machined on flaps and shoulder straps; button holes on the front will be cloth bound on the upper side and hand worked on the underside; two upper patch pockets with ½” box pleat, three (3) point flaps with outer edge stitched down on the patch.
- 1.2.5 The two lower side pockets shall have 3 pointed flaps with double corner pockets under flaps; all outside pockets shall have regular Baltimore County gilt buttons attached to flap by washer and ring at point where pocket would normally be buttoned; all edge and pockets to single stitched 3/16”.
- 1.2.6 The insignia rank on each sleeve, starting approximately 3” from the end of each sleeve, for the following ranks, as indicated:
- Chief – one (1) 1-1/2” wide gold stripe and two (2) ½” wide gold stripes on each cuff. In addition, each sleeve will have two (2) gold embroidered stars ¼” above braid.
- Deputy Chief – one (1) 1-1/2” wide gold stripe and one (1) ½” wide gold stripe on each cuff.
- Colonel – four (4) ½” wide gold stripes on each cuff.
- Major - three (3) ½” wide gold stripes on each cuff.
- Captain - two (2) ½” wide gold stripes on each cuff.
- Lieutenant –one (1) ½” wide gold stripe on each cuff.

- 1.2.7 Material used in the garment to be 55% Dacron and 45% Wool Gaberdine #603 P & F
- 1.2.8 Coat to be made at waist length, designed for gun under coat.
- 1.2.9 For Lieutenants, Captains, Major, Colonels, Deputy Chief, and Chief; metal badge plate shall be attached over center of upper breast flap on left side.
- 1.2.10 Honor Guard and any officer below the rank of Lieutenant shall have belt hooks on back to retain a Sam Brown belt.
- 1.3 Shoulder emblems, Baltimore County Police, to be furnished by the Police Department.
 - 1.3.1 Bid price to include sewing of each on the right and left shoulder as instructed by the Police Department.
- 1.4 Stock dress blouses shall be same specifications as custom.
 - 1.4.1 Sizing shall be given to vendor by Police personnel.

2. DRESS BLOUSE (AUXILIARY POLICE).

- 2.1 Material shall be Dacron and Wool, Hamburger #718, dark brown, two (2) ply, 19 oz. or equal.
- 2.2 Construction of blouse shall be the same as Baltimore County Police dress blouses.
- 2.3 The insignia rank on each sleeve, starting approximately 3" from the end of each sleeve, for the following ranks, as indicated:
 - Colonel – four (4) ½" gold stripes on each sleeve.
 - Major - two (2) ½" gold stripes, one (1) ¼" gold stripe in between the two ½" stripes on each sleeve.
 - Captain - two (2) ½" gold stripes on each sleeve.
 - Lieutenant - one (1) ½" gold stripe on each sleeve.
 - Sergeant - Only Honor Guard members will have the appropriate rank sewn on
- 2.4 Shoulder emblems shall be furnished by the Baltimore County Auxiliary Police and bid price to include the sewing.

3. TROUSERS (MALE / FEMALE POLICE OFFICERS).

- 3.1 The material shall be:
 - 3.1.1 Winter – 55% Dacron and 45% Wool Gaberdine, 14 oz. #539-120, Cadet and Police Service Officers blue-gray.

- 3.1.2 Summer – Dacron and Wool Tropical light blue, 10 oz., Raeford Stock Dyed #3933-120, 3 ply or Hamburger #333-30, Cadet and Police Services Officers blue-gray.
- 3.2 The trousers shall have plain fronts with two (2) side pockets about 6" deep, two (2) hip pockets about 7" deep.
 - 3.2.1 Pocketing is to be 50% cotton and 50% polyester, black in color.
 - 3.2.2 The waistband shall be 2" and lined with snug-tex material of matching shade to pocketing; seven (7) $\frac{3}{4}$ " wide, 2" long belt loops, shall be properly placed.
 - 3.2.3 Each trouser leg shall have a 1" black mohair braid stripe. Stripe is to be stitched, turned, and inserted into the side seam. Stripe is to be in front of the pocket and out seam.
 - 3.2.4 Honor Guard trousers when specified will have sewn in black mohair braid stripes 1 $\frac{1}{2}$ " wide.
 - 3.2.5 The fly shall be a 4kk-jmg #350-5 black heavy-duty brass zipper with outside fly button in the waistband, French fly with inside button to be below waistband.
 - 3.2.6 Female police officer's trousers must be cut using women's patterns, style must be consistent with male trousers (no bell-bottom or flare at the ankles).
 - 3.2.7 Outside seams (left leg and right leg) shall be tacked just above and just below the side pockets (this type of tacking known as bar tack).
 - 3.2.8 There shall be permanent silicone adhesive creases, lintrack in the front of both pant legs. Lintrack will not be added on trousers for School Guards, or Auxiliary Police. In addition to the silicone and lintrack treatment a crease shall be sewn into both pant legs.
- 3.3 Trousers to be available in custom cut in male and female sizes.

4. TROUSERS (MALE / FEMALE CADETS, POLICE SERVICES OFFICERS AND GUARDS).

- 4.1 The material shall be:
 - 4.1.1 Winter-Dacron and wool elastique, Raeford stock dyed #646-96 or Hamburger #605, P & F with light blue #605-84 stripe.
 - 4.1.2 Summer-Dacron and wool tropical, Raeford stock dyed #3933-96, a 3 ply or Hamburger #333, P & F, 3 ply with light blue #333-84 stripe.
- 4.2 Trousers shall be dark blue body; light blue stripe as listed above; trousers shall have plain fronts with two (2) side pockets about 6" deep and two (2) hip pockets about 7" deep, 7 $\frac{3}{4}$ " wide, 2" long.
 - 4.2.1 The waistband shall be 2" and lined with snug-tex material of matching shade to pocketing. Belt loops shall be properly place.
 - 4.2.2 Each trouser leg will have a 1" stripe of light blue material. Stripe is to be in front of the pocket and out seam. Each leg of the trouser will have lintrack in the front of both pant legs and will have a sewn-in crease.

4.2.3 The fly shall be a 4kk-jmg #350-5 black heavy duty brass zipper with outside fly button in the waistband, French fly with inside button to be below waistband.

4.2.4 Female cadet trousers must be cut using women's patterns, style must be consistent with male trousers; specifications for Cadet trousers shall apply the same as male and female police officers.

4.3 **Exception:** There shall be no light blue stripe on Police Service Officer trouser.

5. TROUSER (AUXILIARY MALE / FEMALE AUXILIARY POLICE).

5.1 The material shall be:

5.1.1 Winter – 55% Dacron and 45% Wool Gaberdine #603-43.

5.1.2 Summer – Dacron and Wool Tropical, tan, 10 oz. Raeford stock dyed, three (3) ply or Hamburger #333-43, tan.

5.2 Trousers shall have plain fronts with two (2) side pockets, about 6" deep, two (2) hip pockets about 7" deep. Pocketing is to be 50% Polyester, black in color.

5.2.1 The waistband shall be 2" and lined with snug-tex material of matching shade to pocketing; seven (7) ¾" wide, 2" long belt loops, shall be properly placed.

5.2.2 Each trouser leg shall have a 1" mohair braid. Stripe is to be stitched, and inserted into the side seam. Stripe is to be in front of the pocket and out seam. In addition, the crease will be sewn into both pant legs.

5.2.3 The fly shall be a 4kk-jmg #350-5 black heavy duty brass zipper with outside fly button in the waistband, French fly with inside button to be below waistband.

5.2.4 Female officers' trousers must be cut using women's patterns; style must be consistent with male trousers.

6. MOTORCYCLE BREECHES (MALE / FEMALE POLICE OFFICERS – SUMMER / WINTER).

6.1 The material shall be the same as for Police Officer trousers. (See specification 3.1)

6.2 Breeches shall be the regulation riding breeches with high chopped peg starting 3" above kneecap; legs will be closed with a zipper on each leg on the outer bottom portion, located on the outer side of the breeches; full cavalry reinforcement covering the entire seat reaching 2" below the waistband; full knee reinforcement to reach 4" above kneecaps into the outer seams and full length on the inside reaching the crotch.

6.2.1 Each leg shall have 1" black mohair braid down the outside seam, same shall apply to officers of rank.

6.2.2 There shall be two (2) side pockets about 6" deep, two (2) hip pockets about 7" deep. Pocketing to be 50% cotton and 50% polyester, black in color.

6.2.3 Waistband shall be 2" wide and lined with snug-tex material matching shade of pocketing; seven (7) ¾" wide, 2" long belt loops shall be properly placed (one belt loop to be placed over the rear seam).

6.2.4 The fly shall have a zipper fastener with outside fly button or hook in the waistband and inside buttons to below waistband.

6.2.5 The outside seams (right leg and left leg) shall be bar tacked, just above and just below the side pocket, bar tack shall be under the black cloth stripe.

7. CAPS (MALE / FEMALE POLICE OFFICERS).

7.1 Cap shall be one (1) piece top eight (8) point shape, measuring approximately 10-3/4" front to back of crown, and approximately 10-3/4" from side to side; approximate height of crown shall be 2-1/2" from top of band in front and approximately 2-1/4" in back; all seams to be pressed flat.

7.2 Body band-inside band shall be made of buckram frame 2" wide, covered with basic fabric as used in top of hat; front stiffening.

7.3 The front stiffening shall be made of black fiber measuring approximately 4" at top, tapering to 3-1/2" at bottom and covered with black satin lining.

7.4 Visor shall be of solid imitation patent leather, lined with green under, cut to slope at about 45 degrees and well molded to shape; shall be bound with imitation brown leather; visor shall be regular "pershing" style; chin strap.

7.5 Caps by rank:

Patrolman shall have 1/2" single leather (black) strap, and shall have gold buttons.

Corporal and Sergeant shall have 1/2" silvermetal regal chin strap attached to cap with silver buttons.

Lieutenant and Captain shall have 1/2" gold regal cap strap attached with gold Baltimore County buttons;

Caps for majors and above shall be same as aforesaid, but shall have gild embroidered visor navy style.

7.6 Sweat leather shall be first quality 1-1/2" wide and shall be neatly sewn in cap by with not less than six (6) stitches to the inch; lining shall be lightweight, good quality material, suitable for cap lining and shall have a pocket sweat protector sewn to lining to prevent perspiration.

7.7 Buttons-Gilt Baltimore County Police buttons shall be used. One (1) on each side of the cap immediately in back of the point of the visor.

7.8 The cap shall have open cane; also have removable Dacron and Wool Gaberdine #539-120 to fully cover cane frame; the removable band is to have two (2) eyelet holes. The placement of the eyelet holes must easily accommodate the Baltimore County hat shield.

7.9 Cap to be available in all sizes from 6-1/2 to 8.

8. CAPS (FOR CADETS AND POLICE SERVICE OFFICERS).

8.1 Cap shall be of the same design, construction, and material as the police officers cap **except** for the following: (See specification 17)

8.1.1 Shall be dark blue in color, material number 646-96.

8.1.2 Shall have an adjustable bead band in construction of cap.

8.1.3 Sizes shall be from 6 ½ to 8.

9. CAPS (MALE / FEMALE AUXILIARY POLICE).

- 9.1 Material shall be 55% Dacron and 45% Wool, #603-43 P & F.
- 9.2 Construction shall be the same as the police officers. (See specification 17)
- 9.3 Cap to be available in all sizes form 6 ½ to 8.
- 9.4 Color shall be brown

10. JACKET, K-9, LEATHER.

- 10.1 **STYLE.** Hip length coat with zipper front, bi-swing back, leather collar and side vents. Taylor No. 4465R2.
- 10.2 **LEATHER.** The purpose of this leather specification is to outline the minimum requirements of the leather to be used in the manufacture of the garments. It shall be the responsibility of the manufacturer to provide authenticity of these requirements upon request. Specifically test swatches and letter of origins.
 - 10.2.1 **WEIGHT.** 2 ½-3 OZ.
 - 10.2.2 **COLOR.** Black drum dyed.
 - 10.2.3 **PROCESS ORIGIN.** Genuine leather must be processed and finished in U.S.A.
 - 10.2.4 **FLEXIBILITY.** The leather must survive 50,000 flexes on a “Bally” flexometer with no visible cracking or peeling.
 - 10.2.5 **DURABLILITY.** The leather must pass a minimum of 1,000 cycles grams of weight with a CS-10 wheel using a Tabor 5150 Abrasor.
- 10.3 **THREAD.** All nylon top thread.
- 10.4 **PERMANENT.** Black quilted 100% nylon taffets, 160 x 90 pic; 70 LINING denier. Batring “3-M Thinsulate” Thermal Insulation.
- 10.5 **BACK SUPPORT.** Lower back to have 4” wide “PELLON Bandstand” type inner facing to prevent tail of coat from rolling.
- 10.6 **LINER SLEEVES.** Removable liner sleeves to have 1” wide omni directional knit material installed in armhole for freedom of movement.
- 10.7 **SIDE VENTS.** 11” in length with snap closure.
- 10.8 **SLEEVES.** To be 3-piece construction, underarm piece to have vents and gusset for freedom of movement. Sleeves to be fully double stitched into armholes.
- 10.9 **STORM CUFFS.** Each coat to have black nylon storm cuff 7” in length sewn in sleeve of removable liner.
- 10.10 **POCKETING.** All pocketing to be antron nylon.

- 10.11 **POCKETS.** Two (2) Lower hand pockets with 7" zipper closure. Two (2) Upper breast pockets set-in with pocket flaps and Velcro closure. Pocket Flaps to have "Police" button affixed with toggle and washer at peak.
- 10.12 **INSIDE POCKETS.** One (1) set in right facing with snap closure and minimum 7" deep pocketing.
- 10.13 **ZIPPERS.** Front zipper to be 2-way size 10 "Black Brass" Pocket zippers to be size 5 "Black Brass".
- 10.14 **EPAULETS.** One (1) each shoulder fully lined with "Police" button affixed as per pocket flap.
- 10.15 **BADGE TAB.** All leather sewn on left breast, oval in shape with metal eyelets to affix badge.
- 10.16 **NAMEPLATE.** All leather sewn on right breast.
- 10.17 **SIZING.** Vendor shall be capable of providing all needed sizes, men women and custom.
 - 10.17.1 **LENGTH.** MEN'S 30" / LADIES 25"
 - 10.17.2 Vendor must have a company representative or authorized dealer available to assist with fitting of the garments at no additional charge if needed.
- 10.18 **CLEANING.** Garments to be cleaned by professional leather cleaner only. Each garment shall come with a care tag and care instructions.
- 10.19 **REPAIR.** Any needed work either warranty or service type, including cleaning and refinishing shall be performed, and repaired or replaced garment returned to Police Department within ten (10) working days.
- 10.20 **WARRANTY.** Five (5) years from date of purchase. The responsibility of Taylor's leatherwear is limited to the repair or replacement of defective garments. The warranty does not cover damage resulting from normal wear, misuse, negligence, or lack of reasonable and proper care and maintenance. Care and maintenance instructions will be provided by the manufacturer. Warranty shall be limited to the original warranty provided by the manufacturer when propriety products are specified such as "3-M" "Thinsulate".
- 10.21 **CHEVRONS, PATCHES, EMBLEMS.** Two (2) emblem supplied by the agency shall be sewn on to each sleeve. In addition, there will be one K-9 emblem sewn on the right sleeve six (6) inches above cuff.

11. **JACKET, MOTORCYCLE, LEATHER.**

- 11.1 **STYLE.** Eisenhower style waist length jacket with epaulets all leather waist band with elastic side panel, leather snap down collar, bi-swing back, zipper front and sleeve closure, nylon quilted z/o lining and storm cuffs. Taylor no. 4473Z. Note: G4473Z is not acceptable.
- 11.2 **LEATHER.** The purpose of this leather specification is to outline the minimum requirements of the leather to be used in the manufacture of the garments. It shall be the responsibility of the manufacturer to provide authenticity of these requirements upon request. Specifically test swatches and letter of origins.

- 11.2.1 **SHELL.** Genuine Water-Resistant Leather,
- 11.2.2 **WEIGHT.** 2 ½-3 oz.
- 11.2.3 **COLOR.** Black drum dyed.
- 11.2.4 **PROCESS ORIGIN.** Leather must be processed and finished in U.S.A.
- 11.2.5 **FLEXIBILITY.** The leather must survive 50,000 flexes on a “Bally” flexometer with no visible cracking or peeling.
- 11.2.6 **DURABILITY.** Leather must pass a minimum of 1,000 cycles grams of weight with a CS-10 wheel using a “Tabor” or “Tubor” 5150 Abrasor.
- 11.3 **THREAD.** All nylon top thread.
- 11.4 **PERMANENT.** Nylon-86 PIC with fur collar
- 11.5 **LINING SLEEVES.** Removable liner sleeves to have 1” wide omni directional knit material installed in armhole for freedom of movement.
- 11.6 **SLEEVES.** 3-piece construction with underarm perspiration eyelets. Under sleeve to close by way of 7” zipper. Top of sleeve to be double lock stitched into armhole for strength.
- 11.7 **POCKETING.** All nylon pack cloth or antron nylon.
- 11.8 **POCKETS.** Yes, according to jacket style number
- 11.9 **INSIDE POCKETS.** Yes, according to jacket style number
- 11.10 **BELT LOOPS.** Belt loops to be all leather, snap down, 1” x 4”, total of four, one (1) per front and two (2) on back panel.
- 11.11 **ZIPPER.** Heavy duty BLACK brass size #9 or equal.
- 11.12 **EPAULETS.** Snap down, all leather, sewn on each shoulder seam 1.75” x 6”
- 11.13 **BADGE TAB.** Oval, all leather sewn on left breast with eyelets set 1-1/2” apart.
- 11.14 **SIZING.** Vendor shall be capable of providing all needed sizes, men women and custom.
 - 11.14.1 **LENGTH.** 25”
 - 11.14.2 Vendor must have a company representative or authorized dealer available to assist with fitting of the garments at no additional charge if needed.
- 11.15 **CLEANING.** Garments to be cleaned by professional leather cleaners only.
- 11.16 **REPAIR.** Any needed work either warranty or service type shall be performed, and repaired or replaced and garment returned from vendor to Baltimore County Police Department within five (5) working days.
- 11.17 **WARRANTY.** Five (5) years from date of purchase. The responsibility of Taylor’s leatherwear is limited to the repair or replacement of defective garment. The warranty

does not cover damage resulting from normal wear, misuse, negligence, or lack of reasonable and proper care and maintenance. Care and maintenance instructions will be provided by the manufacturer. Warranty shall be limited to the original warranty provided by the manufacturer when propriety products are specified such as "3-M" "Thinsulate".

11.18 **CHEVRONS, PATCHES, EMBLEMS.** Two (2) emblem supplied by the agency shall be sewn on to each sleeve.

12. COAT, ALL WEATHER.

12.1 **GENERAL DESIGN.** The all-weather raincoat shall be a fully cut, full-length, well-balanced double-breasted design with set in two (2) piece sleeve and removable military style epaulets, two (2) welt style cut through pockets (that open through to the inside of the coat), yoke back and front shooting patch, collar with stand, belt with buckle, and sleeve tabs. The coat shall close in front with seven (7) buttons. There shall be a half yoke lining (including sleeves), a two (2) piece back, and a removable insulated lining with sleeves and cut through for access to inside pockets. The coat shall have ¾ inch clean finished hem.

12.2 **SHELL FABRIC.**

Cloth Type: The basic material shall be a 60%/40% polyester/wool cotton blend, poplin weave, with a durable water repellent finish,

Count: Warp: 107 (+ or – 2) Filling: 56 (+ or –2)

Weight: 5.8 oz. per square yard

Tensile Strength: Warp: 150lb. Filling: 70 Lb.

Shrinkage: 2-3% (maximum)

Color Fastness and Crocking: Good

12.3 **PERMANENT LINING FABRIC.**

Cloth Type: 100% nylon taffeta plain weave, 70 Denier Nylon type #66 continuous filament yarns with 34 filaments, melting point 450 degrees Fahrenheit.

Count: Warp: 104 (+ or – 2) Filling: 86 (+ or –2)

Weight: 1.8 oz. per square yard

Breaking Strength: (lb.) Warp: 125 (min.) Filling: 85 (min.)

Tearing Strength: (LB.) Warp: 3.5 (min.) Filling: 2.1 (min.)

Shrinkage: Warp: 2% (max) Filling: 2% (max.)

Color Fastness and Crocking: Good

Color: Charcoal Gray

12.4 **REMOVABLE INSULATED LINER REMOVABLE INSULATED LINING.** The removable insulated liner shall be a zip-out type full body liner with full sleeves. The zipper shall

extend to within 8 inches of the bottom of the liner on both sides. There shall be a bound cut out placed vertically on each inside front of the liner for through access to trousers or equipment. The liner shall be bound throughout with binding material as specified and shall attach to the inside sleeve lining with a loop made from binding and a 24 ligne button.

Taffeta Face Fabric:

Cloth Type: 100% nylon taffeta plain weave, 70 Denier Nylon type #66 continuous filament yarns with 34 filaments, melting point 450 degrees Fahrenheit.

Count: Warp: 104 (+ or – 2) Filling: 86 (+ or –2)

Weight: 1.8 oz. Per square yard

Breaking Strength: (lb.) Warp: 125 (min.) Filling: 85 (min.)

Tearing Strength: (LB.) Warp: 3.5 (min.) Filling: 2.1 (min.)

Shrinkage: Warp: 2% (max) Filling: 2% (max.)

Color Fastness and Crocking: Good

Color: Charcoal Gray

Insulation:

Type: Dupont Thermolite BSCL 100 quilted in a 6-inch diamond pattern.

Nylon Tricot Backing:

Cloth Type: 28 gauge 40 denier single ply nylon tricot knit

Count: Wales: 32 Courses: 28

Color: Black

12.5 FUSIBLE INTERLINING.

Cloth Type: 100% polyester non-woven fusible type.

Weight: 2.5 oz. per square yard.

Break Strength: Machine direction: 5.0 lb. per inch

Across machine: 5.5 lb. per inch

Color: Charcoal

12.6 HALF YOKE LINING. The coat shall have a half yoke lining made from shell material with the sleeves made from taffeta for easy on and off. The lining shall extend 18 inches down from the neck seam and shall carry a second garment label.

12.7 INTERLINING. The following parts shall be interlined: Collar and collar stand, epaulets, shooting patch, sleeve tabs, pocket welts, belt, and front facings.

- 12.8 **THREAD.** Thread for single needle lockstitch seams shall be size #50 polyester wrapped polyester core, vat dyed. Double needle sewing shall use 100% spun polyester thread, size #70 in the needles, size #100 in the loopers.
- 12.9 **SEAM STITCHING.** Sleeve seams, sleeve setting seams and body joining seams shall be 3/16" gauge, double needle stitch construction. All other seams to be single needle construction. Seams shall be free from puckering, pleats, runoffs and raw edges.
- 12.10 **COLLAR.** The permanent collar and collar stand shall be made of two plies of the shell fabric plus the interlining. The collar and the points shall be well shaped and symmetric. The points shall measure 3 ¾ inches with the center measuring 4 ½ inches. The collar stand shall measure 1 ¾ inches at the center width and shall be double needle stitched around the perimeter. There shall be a hanger loop made from self fabric (1/4 inch by 2 ¾ inches), with edges folded, bar tacked to the inside of the collar stand.
- 12.11 **FRONTS AND FACINGS.** The fronts shall be double needle stitched around the perimeter. The inside front facings shall begin at the gorge of the neck approximately 9 inches in width and shall taper to 7 inches at the bottom of the hem where they shall end. The facings shall be interlined with the specified interlining and shall be bound with taffeta for a clean finish. The facings shall hold a zip out liner zipper.
- 12.12 **YOKE AND SHOOTING PATCH.** The back yoke shall be made from shell fabric. It shall be straight and shall measure 11 inches from the collar seam. The hem shall be double needle stitched. The shooting patch shall be rounded and located on the left front and shall measure approximately 9 inches long by 8 inches wide. The perimeter shall be double needle stitched and there shall be a button hole set ¾ inches in from the lower right hand rounded edge.
- 12.13 **POCKETING.**
- Cloth Type: The basic material shall be a 60%/40% polyester/wool cotton blend, poplin weave, with a durable water repellent finish,
- Count: Warp: 107 (+ or – 2) Filling: 56 (+ or –2)
- Weight: 5.8 oz. per square yard
- Tensile Strength: Warp: 150lb. Filling: 70 Lb.
- Shrinkage: 2-3% (maximum)
- Color Fastness and Crocking: Good
- 12.14 **POCKETS.** There shall be two (2) slash pass through welted side openings (on each side of the coat) measuring 8 inches long for access to the coat pocket, equipment, or pant pockets. The welts shall measure 2 inches in width and shall be vertically set into the fronts, double stitched top, bottom and outside edge for strength and consistent appearance. The pockets bags shall be stitched, turned and top stitched and shall be made from self-fabric. The pockets shall be 11 inches deep and shall be bar tacked at the top and bottom of bag for attachment to the inside facing of the coat.
- 12.15 **BUTTONS.** Sleeve liner attachment buttons (24 ligne, 4 hole), sleeve tab, epaulet, and shooting patch buttons (30 ligne, 4 hole), front closure buttons (36 ligne, 4 hole), and stay buttons (18 ligne, 4 hole) shall be pure melamine plastic conforming to Type II class D,

Style 20 and 21, of US Military Specification #V-B-871D. Color of buttons shall match each other and the basic shell fabric.

- 12.16 **BUTTON HOLES.** Button holes shall be eyelet end, taper bar cut-after or cut-first type with #8 gimp inserted. If cut first type, thread ends shall be bar tacked.
- 12.17 **SLEEVES.** Sleeves shall be two (2) piece, fully lined, set in shoulder coat style with sleeve tabs and double needle stitched out seam.
- 12.18 **SLEEVE TABS.** The sleeve tabs made from two plies of the shell fabric plus the interlining and shall be double needle stitched around the perimeter and sewn into the inseam 2 ¾ inches from the sleeve hem. The tabs shall be pointed and measure 1 ¾ inches wide by 7 ¼ inches long with a button hole at the pointed end fastened by a 30 ligne specified button.
- 12.19 **EPAULETS.** The epaulets shall be military style removable type. They shall be made by sewing two plies of the basic shell fabric plus the interlining, turning and then double needle stitching the perimeter. The epaulets shall be 2 inches in width at the shoulder and at the point. The point of the epaulet shall finish at the collar joining seam of the coat. The epaulet shall be folded in half and held down with a self-fabric keeper which is bar tacked at the shoulder seam. The pointed end shall fasten to the shoulder using a 30 ligne matching button (as specified).

12.20 **SIZE RANGE AND MEASUREMENTS.**

The size range shall be: Short: 34-46; Regular: 36-50, 2 XL (52-54) 3 XL (56-58); Long: 38-50, 2 XL (52-54) 3 XL (56-58), and Extra Long: 40-50, 2 XL (52-54) 3 XL (56-58).

Size:	34	36	38	40	42	44	46	48	50	52	54	56	58
-------	----	----	----	----	----	----	----	----	----	----	----	----	----

Chest:	46	48	50	52	54	56	58	60	62	64	66
--------	----	----	----	----	----	----	----	----	----	----	----

(measured at armhole and side seam + or- ¾ inch)

Sweep:	59	61	63	65	67	69	71	73	75	77	79
--------	----	----	----	----	----	----	----	----	----	----	----

(measured at hem + or – inch)

Back Length:	Short = 47	Reg = 49	Long = 51	X Long=53
--------------	------------	----------	-----------	-----------

(measured from collar stand to bottom of hem =+or – ¾ inch)

Hem Width Bottom: ¾ (= or – ¼ inch)

Sleeve inseam:	Short = 17 ½	Reg = 18 ½	Long = 19 ½	XLong = 20 ½ (+ or ½ inch)
----------------	--------------	------------	-------------	----------------------------

- 12.21 **LIMITED WARRANTY.** The sample and contract garments shall carry a manufacturer’s printed warranty hang tag. A sample warranty hang tag must accompany the bid package as well. The tag shall instruct the owner of their rights under the warranty.

Limited Warranty will contain at minimum the following:

Warranty coverage: Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in materials and workmanship for a period of three (3) years from date of purchase. The product will remain waterproof in normal use for a period of three (3) years from date of purchase.

Warranty Service: Should a covered product become defective or lose waterproofness during the warranty period, simply return it to the manufacturer with dated proof of purchase. The manufacturer agrees to repair or replace at its option any item determined to be defective and will return to purchaser at no charge.

Limitations: This warranty does not cover abnormal wear and tear, not the color fastness of florescent fabrics, or damage from chemicals, fire, misuse, accident or negligence. This warranty only applies to the original purchaser of the covered product and is not transferable.

Forward a complete copy of the Limited Warranty upon request.

- 12.23 CHEVRONS, PATCHES, EMBLEMS. Two (2) emblem supplied by the agency shall be sewn on to each sleeve.

13. JACKET, RAID.

- 13.1 GENERAL DESIGN. The jacket shall be finger-tip length, zipper front windbreaker featuring two (2) lower vertical zipper pockets, upper front and back yokes with mesh inner, one (1) piece raglan style sleeves with elastic cuffs, drawstring waist, full front and neck facings with knit top collar. The facing shall be constructed to accommodate a zipper for a zip in liner. The jacket shall be washable and dry cleanable. MFG: 5.11 Tactical model no. 58098-724, color: Police Blue.

- 13.2 REQUIREMENTS FOR THE BASIC (SHELL) FABRIC.

Cloth Type: 100% nylon taffeta bright, semi-bright or semi-dull, plain weave

Denier: warp: 70 fill: 70

Fibers: Nylon #66 continuous filament yarns with 34 filaments

Melting Point: 450 degrees Fahrenheit

Weight: 1.8 oz. per square yard

Warp: 104(+ or – 2) Fill 86 {+ or– 2}

Tearing Strength: {lb.} – Warp: minimum of 3.5 Fill: minimum of 2.1

Breaking Strength (lb.) – warp: minimum of 125 Fill: minimum of 85

Maximum Shrinkage – Warp: less than 2% Fill: less than 2%

Color Fastness and Crocking: Good

Coating: Non-ravel urethane

- 13.3 INTERLINING. The following parts shall be interlined: Collar, Fronts.

Cloth Type: 100% polyester non-woven

Weight: 2.5 oz. per square yard

Break Strength: Machine direction: 5 lb. per inch

Across machine: 5.5 lb. per inch

Color: Charcoal

- 13.4 STITCHING AND THREAD. All stitching shall be even and uniform as per the standard sample. Body joining seams will be five (5) thread safety stitched. Thread shall be size #70 polyester, for the loopers in the safety stitch, #50 rayon wrapped polyester core, vat dyed on all other seams. Yoke hems and armholes to be double needle topstitched.
- 13.5 COLLAR. The permanent collar shall be one ply of the basic fabric and one ply of 1 x 1 knit plus the interlining. The points shall measure 2 ½ inches, the center width 2 ¾ inches. The knit collar shall be 100% polyester, dyed to match the shell, and shall weight a minimum of 11 ounces per square yard.
- 13.6 FACINGS FRONTS AND BACK. The facing shall measure approximately 2 ¾ inches in width at the bottom of the jacket increasing gradually to 3 ¾ inches at the gorge and will continue around the neck.
- 13.7 YOKES. The front yokes shall finish size large 8 inches down from the neck the back yoke 11 inches. The inside yokes shall be lined with 100% polyester mesh.
- 13.8 DROP DOWN PANELS. The front drop down panel shall be placed on the right side of the jacket and measure 5.5 by 5.5 inches, and shall read "POLICE" silk screened in reflective silver. The back panel shall measure 12.5 by 6.5 inches and shall read "POLICE" silk screened in reflective silver. The panels shall be removed by hook and loop tape. The panels shall also be concealable behind the yokes with hook and loop tape.
- 13.9 SLEEVES. One (1) piece, raglan, and elasticized cuffs at bottom. The armhole shall be double needle topstitched.
- 13.10 POCKETS. There shall be two (2) lower slash zipper pockets measuring 6 ½ inches in length (size medium). The pocket bag shall be caught in the front hem, and shall be tacked to the facing.
- 13.11 ZIPPER.

Type: Nylon Coil, self-locking, and preshrunk tape

Size: 26 inches in length (front), 6 inches (pockets)

- 13.12 BADGE TAB. There shall be a badge tab sewn to the left breast consisting of two plies of shell fabric measuring 0.875 inches wide by 2.5 inches high with two (2) eyelets spaced 1.375 inches center to center.

13.13 TABLE OF MEASUREMENTS IN INCHES

Size:	XS	S	M	L	XL	XXL	XXXL
-------	----	---	---	---	----	-----	------

Chest:	40	44	48	52	56	60	64
--------	----	----	----	----	----	----	----

(measured at armhole and side seam, + or - ¾ inch)

Back Length, size L: Reg. 29
(measured form collar stand to bottom of waistband, + or - ½ inch)

Sleeve Length, size L Reg. 20 ½

13.14 CHEVRONS, PATCHES, EMBLEMS. Two (2) emblem supplied by the agency shall be sewn on to each sleeve.

14. JACKET, WAISTLENGTH, POLICE.

14.1 GENERAL DESIGN. The coat shall be a waterproof by design style, waist length with shirred back waistband, front zipper closure covered by double storm flap, yoke design in back and zip-out full body and sleeve quilted insulated liner. There shall be a badge holder on left breast, shoulder straps, pleated patch pockets, inside zippered pocket, storm collar, hidden Scotchlite safety package, underarm zippers, drop shoulder and two (2) piece set-in sleeves with velcro closure.

14.2 SHELL FABRIC.

Cloth Type: 3 x 1 right hand twill weave, 2-ply 70 Denier textures Nylon (filling), and single ply 70 denier mid dull taslanized nylon warp, treated with durable fluorocarbon water and stain release agents.

(The following values are plus or minus 10 %.)

Count: Warp: 158 Filling: 87

Weight: (uncoated): 3.5 oz. per sq. yd.

Color Fastness and Crocking: Good

Back coating: Honeycomb pattern printed urethane non-ravel coating to ensure breathability, prevent seam slippage, and to maintain shell fabric appearance.

Color: See specific garment color.

14.3 PERMANENT WATERPROOF –BREATHABLE LINING. The permanent waterproof-breathable lining shall consist of a CROSSTECH waterproof-breathable membrane laminated to a woven polyester fabric (W.L. Gore US101) and a knit polyester tricot resulting in a dry-cleanable and washable waterproof material with high moisture vapor transmission, blood-borne pathogen resistance, and common chemical resistance.

Garment construction must be laminated liner type, allowing emblems, patches, flags, service bars, chevrons or other insignia to be sewn through the shell fabric without penetrating the waterproof breathable fabric so that these alterations can be performed locally by any uniform dealer or tailor. The edges of the lining shall be caught along the periphery of the collar, fronts, coat hem, side vents, and sleeve bottoms only. All seams and stitching through the permanent waterproof breathable lining shall be waterproof seam taped with the specified seam tape.

14.3.1 Waterproof-Breathable Membrane:

Moisture Vapor Transmission Rate (g/m²/24 hour)

Procedure B 700 Minimum ASTM E 96-93

Procedure BW6500 Minimum ASTM E 96-93

Hydrostatic Resistance (psi) 150 Minimum FED-STD-191A 5512

Water Permeability

Initial:	No Leakage	FED-STD-191A 5516
Alter Cold Flex		
Warp	No Leakage	ASTM D 2097-69 (1980)
Fill	No Leakage	ASTM D 2097-69 (1980)
After 100 Hours of:		
Continuous Wet Flex	No Leakage	AATCC 135 FED-STD-191A 5516
After Dry Cleaning	No Leakage	FED-STD-191A 5516
After Synthetic Perspiration	No Leakage	Gore QCTM 510 FED-STD-191A 5515
After Sustained Pressure	No Leakage	BS 3424: Part 26:1990 Method 29A
After Sustained Pressure, After Exposure to Contamination		
No Leakage	Gore QCTM 552 BS 3424: part 26: 1990 Method 29A	
Resistance to blood-borne pathogens:	ASTM F1671 NFPA 1999 (1997edition) compliant	
Resistance to common chemicals:	ASTM F903 (battery acid, gasoline, hydraulic fluid AFFF foam, and swimming pool chlorine solution)	

14.3.2 Face Fabric:

Cloth Type	100% textures polyester, 70 denier warp and filling, jet dyed, plain weave
Count:	Warp: 97 Filling: 102
Weight:	2.18 oz. per square yard
Color:	Charcoal

Backing Fabric:

Cloth Type:	32 gauge, 2-bar knit polyester tricot
Denier:	Top Bar: 40 denier, 20 filaments Bottom Bar: 20 denier, 18 filaments
Count:	Wales: 40 Courses: 46
Color:	White

14.4 REMOVABLE INSULATED LINER. The removable insulated liner shall be constructed of a quilted package of woven face fabric, synthetic thin insulation, and woven backing fabric.

The insulation must resist fiber migration without the use of layers of scrim in order to maintain superior softness and quietness and wick moisture vapor away from the body. The quilted package must be both machine washable/dryable and dry cleanable to accommodate a variety of cleaning requirements.

The removable insulated liner shall be a zip-out type full body liner with full sleeves. Quilting shall be stitched in a 6 inch diamond pattern. There shall be a bound cut out in each armhole for comfort and a bound slit positioned in the left breast to allow access to the pocket on the permanent lining of the jacket. The liner shall be bound throughout with the binding material as specified.

14.4.1 Face Fabric:

Cloth Type: 100% nylon 70 denier ripstop
(The following values are plus or minus 10%)

Count: Warp: 106 Filling: 96

Breaking Strength: Warp: 114 lbs. Filling: 92 lbs.

Tearing Strength: Warp: 7 lbs. Filling: 5 lbs.

Shrinkage: Warp: 2% Filling: 2%

Color Fastness and Crocking: 4 (Good)

Color: Charcoal

14.4.2 Insulation

Body: DuPont Thermolite Plus BSCL-200 Quilted in a 6-inch diamond pattern

Sleeves: DuPont Thermolite Plus BSCL-100 Quilted in a 6-inch diamond pattern

Backing Fabric:

Cloth Type: 100% nylon 70 denier plain weave taffeta
(The following values are plus or minus 10%)

Count: Warp: 110 Filling: 80

Weight: 1.8 oz., per square yard

Color Fastness and Crocking: 4-Good

Color: Black

Construction:

Thread Type: Textured polyester wrapped, polyester core
Quilt stitches per inch (min.): 10

14.5 INTERLINING. The following parts shall be interlined: Collar, Shoulder Straps, Pocket Flaps, waistband, and Storm Flaps.

For Shoulder Straps, Pocket Flaps, Collar, Storm Flaps

Cloth Type: 100% polyester non-woven
Weight 2.5 oz. per square yard
Break Strength: Machine direction: 5 lbs. per inch
Across machine: 5.5 lbs. per inch
Color: Charcoal

14.6 BINDING

Cloth Type: 100% nylon 70 denier taffeta plain weave
Count: Warp: 104(+ or – 2) Filling: 86 (+ or – 2)
Weight: 1.8 oz., per square yard
Binding color for removable insulated liner: Charcoal
Binding color for jacket facing: Black

- 14.7 WAISTBAND. The back hem of the jacket shall be elasticized with the knit elastic covered by shell fabric which is turned and top stitched. The elastic shall extend to the side zippers on side and shall be securely box tacked at each end.

WAISTBAND ELASTIC

Type: Spandex, 1 inch knitted elastic, dry cleanable
Warp: 30 ends 1/150 ply polyester
Filling: 10 ends 1/150 ply polyester
Elastic: 30 ends 3500 Cleerspan
Picks/inch: 40
Standard Stretch: 100% (+ or – 10%)
Color: Black

- 14.8 THREAD. Thread for single needle lockstitch seams shall be size #50 polyester wrapped polyester core, vat dyed. Thread for safety stitch seams shall be polyester wrapped polyester core, vat dyed size #50 in the needles and size #70 in the loopers.
- 14.9 SEAM STITCHING. All stitching shall be even and uniform per the standard sample. All seams on the shell and permanent waterproof breathable lining shall be single needle lock stitch construction. Joining seams on the removable insulated liner shall be five (5) thread safety stitch construction. Back tacks on seams shall be a minimum of 0.5 inches long. All seams shall be eight (8) stitches per inch minimum to twelve (12) stitches per inch maximum. Seams shall be free from puckering, pleats runoffs and raw edges.

- 14.10 SEAM WATERPROOFING. All seams and stitching through the permanent waterproof breathable lining shall be waterproof seam taped with the specified seam tape. The tape shall be applied by hot air methods. The tape shall not be affected by weather, temperature or storage. The taped seams shall be tested for waterproofing in accordance with Federal Test Std. # 191, Method #5514 when new and after ten (10) wash/dry cycles and dry cleanings. There shall be no appearance of water in the test area at 3 PSI for a period of three (3) minutes.
- 14.11 SEAM TAPE. Waterproof seam sealing tape shall be 3-layer Gore-Seam tape 1.0 inch in width compatible with the permanent waterproof-breathable lining. Color: White.
- 14.12 COLLAR. The collar shall be made of two piles of the shell fabric plus the interlining plus the permanent waterproof breathable lining. The interlining shall be sewn to the under collar and the permanent waterproof breathable lining shall be sewn to the top collar. The collar points shall be will shaped and symmetrical. The zipper shall extend to the top of the collar and the storm flaps shall extend all the way up to the top at the collar as well. There will be three (3) male snaps with closed backs set through the top collar and under collar for attachment of optional hood. There shall be an 8-inch long by 4-inch-wide1-inch-wide piece of Scotchlite #8930 reflective tape sewn to and hidden under the back collar approximately 0.5 inches below the top collar hem. Stitching of the collar shall be on the periphery along the top and front edges only to maintain waterproof integrity.
- 14.13 FACINGS. A full front and back facing shall be constructed of shell fabric with a concealed zipper track to accommodate a zip-out insulated liner. The front facing shall measure approximately 2.5 inches in width at the bottom of the jacket increasing gradually to 4.0 inches at the gorge and will continue until it ends at the shoulder seam of the jacket. The back facing shall run from shoulder seam to shoulder seam and shall be 1.75 inches in width.
- 14.14 FRONTS. There shall be top and under storm flaps both covering the front zipper. Both storm flaps shall be constructed of two piles of shell fabric, one ply of waterproof breathable lining material, and one ply of interlining. They shall measure 2.25 inches wide and extend to the bottom hem of the coat and to the top of the collar. The storm fly fronts shall have 6 snap fasteners for closure. The female snaps shall be set to the top storm flap through the bottom ply of material and one ply of interlining only so they are not exposed on the front of the jacket. The male snaps shall be set through all layers of the under-storm flap. The top snap shall be set 1 inch from the top of the storm flap, the second snap shall be set 3 inches from balance of the snaps shall be equally spaced between them. The storm flaps shall be stitched turned and topstitched with a 0.25 inch gauge to the shell approximately 0.75 inches in from the edge of the front. The front zipper shall be set first to the shell, waterproof breathable permanent lining and facings and then the jacket shall be turned and top stitched through and through with a 0.25 gauge.
- 14.15 YOKES. There shall be a three ply back yoke with the inside ply sewn to the back and the outside two plies folded and top stitched and left open at the bottom edge. The bottom edge of the yoke shall measure approximately 22.5 inches (size Large). The yoke shall be securely bar tacked on each side approximately 3.75 inches from the sleeve setting seam, leaving a 14.5 inch opening in the center for an optional pull-down panel. There shall be one (1) piece of hook tape measuring 5 inches wide by 0.625 inch high sewn to the underply of the yoke. There shall be a piece of loop tape sewn to the back of the jacket measuring 8 inches wide by 2 inch high sewn above the seam joining the inside yoke to the back. The optional pull-down panel shall match up with the loop tape and fold inside the yoke to the back. The optional pull-down panel shall match up with the loop tape and fold inside the yoke when not in use.

- 14.16 SLEEVES. Sleeves shall be 2-piece, drop shoulder style, with velcro closure and shoulder straps. The hem shall measure 1.5 inches wide with a 3 inch long by 1.25 inch wide tab. There shall be a 1 inch by 2-inch piece of hook velcro sewn to the elasticized tab and a 5 inch by 1 inch piece of loop velcro sewn to the sleeve bottom. The sleeve closure shall be constructed so the jacket can be removed over the hand without unfastening the velcro tab. A piece of silver 3M Scotchlite #8930 1 inch wide shall be sewn to the underside of the entire sleeve bottom so that it remains hidden unless exposed by the user turning the hem back over the sleeve revealing the Scotchlite along the circumference of the sleeve. To provide access to the shell for sewing on emblems on sleeves without damaging the waterproof-breathable permanent lining, there shall be a hidden zipper opening in the sleeve underseam of the jacket.
- 14.17 SHOULDER STRAPS. The permanent shoulder straps shall be 2.25 inches wide. The ends of the shoulder straps shall be sewn into the sleeve joining seam and the collar joining seam of the coat. Shoulder straps shall be constructed of two piles of shell fabric and one ply of interlining. Shoulder straps shall be topstitched to the shoulder (and securely bar tacked on all four openings) along the periphery with a 0.125 inch gauge leaving a 2.5 inch opening in the center for the user to clip on an external microphone or other equipment. There shall be buttons on the shoulder straps to accommodate microphone strap.
- 14.18 POCKETS. The pleated patch pockets shall measure approximately 7.5 inches wide by 8 inches high. There shall be a mitered flap, measuring approximately 7.5 inches wide 2.75 inches at the center. The pocket shall have a reverse pleat and the top shall be bound. There shall be a 1 by 2-inch piece of hook and loop in the center of each flap and pocket along with mini-gripper snaps on each corner of the pocket and flap for closure. The patch pocket shall be double-lined with fleece pocketing. The outside (top) edge of the pocket and pocket flap shall be securely bar tacked. The side shall open approximately 6.5 inches to accommodate the hands. The ends of the opening shall be securely bar tacked (top and bottom). The zippered inside left pocket shall measure 7 inches wide by 9 inches deep.
- 14.19 DETACHABLE HOOD. The detachable hood shall be a two-piece radial design with integral visor and overlapping front secured by 2 snaps. The hood shall attach to the jacket by means of three snaps set through and through 1 inch from the bottom edge of the hood. The shell fabric shall match the jacket in construction and color. The hood shall be permanently lined with the specified waterproof breathable fabric with joining seams seam-taped and stitched to the shell only around the periphery of the hood. There shall be an elasticized drawstring with nylon cord locks to adjust the hood snugly about the face.
- 14.20 SCOTCHLITE PACKAGE. The back yoke shall be designed to accommodate an optional removable pull-down panel that shall be hidden until deployed by the wearer for added visibility. The panel shall measure 8 inches high and 10 inches wide constructed of two piles of shell fabric. The panel shall have a strip of hook tape measuring 0.625 inch by 8 inches sewn to the back side of the top of the panel to secure to the loop sewn inside the back yoke. Hidden in the inside front pocket shall be a removable pointed silver 3M Scotchlite #8930 reflective tab measuring 2.5 inches when attached to the pocket and tapering to 2.25 inches wide. The length shall measure approximately 6.5 inches. The epaulet will fasten to a button hidden in the pocket pleat. Shall be equipped with panel with "POLICE" in 4" silver reflective letters that can Velcro to the back of the jacket
- 14.21 REFLECTIVE TRIM. Reflective trim shall be a 3M's Scotchlite #8930 silver reflective fabric.
- 14.22 ZIPPERS. The front zipper shall use a two-way, delrin, black 24 inches long, size #5. Side zippers shall be black nylon coil type, one way, 9 ½ inches long, size #5. Sleeve

underarm zippers shall be black coil one-way size #3, 8 inches in length. Inside pocket zipper shall use a black nylon coil one-way zipper, 6.5 inches long, size #3. Liner to have 46 inch delrin size #3, color black.

- 14.23 SNAPS. Snaps shall be non-rusting, 20 ligne prong style with closed backs, gunmetal finish on brass, heavy-duty closure, 24 ligne black nylon cap.
- 14.24 BUTTONS. Gold Baltimore County Police Button
- 14.25 BUTTON HOLES. Button holes shall be eyelet and, taper bar out –after or out-first type with #8 gimp inserted. If cut first type, thread ends shall be bar tacked.
- 14.26 EYELETS. The eyelets shall be black aluminum, size #100.
- 14.27 HOOK AND LOOP. The hook and loop tape shall be made form a durable woven nylon and the color shall be black. The hook and loop tape meets the following closure performance: 13.0 (PSI) average shear, 1.3 (PIW) average peel, and 6.0 (PSI) tension.
- 14.28 BADGE TAB. There shall be a badge tab & and name tab sewn to the left breast consisting of two plies of shell fabric measuring 0.875 inches wide by 2.5 inches high with two (2) eyelets spaced 1.375 inches center to center.
- 14.29 LABELING. Both the jacket and removable insulated liner shall be permanently labeled with the manufacturer, county of origin, size, and NFPA 1999 (1997 edition) certification label to meet the standard.
- 14.30 EMBLEMS. One (1) emblem supplied by the agency shall be sewn on to each sleeve.

14.31 SIZE RANGE. The size range shall be as follows:

Men's:	Short	XS-L
	Regular	S-3XL
	Tall	M-3XL
Women's:	Regular	S-2XL
	Tall	S-2XL

14.32 MEASUREMENTS

Men's Size:	XS	S	M	L	XL	2XL	3XL
Chest:	42	46	50	54	58	62	66
Sleeve:	33	34	35	36	37	38	39

Back Length: Size L: Reg. = 25, Tall = 26.5, Short = 23.5

(Chest measured at armhole + or – 0.75 inch)

(Sleeve length measured from center of back collar at neck to bottom of sleeve + or – 0.5 inch)

(Back length measured form collar at neck to bottom of waistband = or – 0.5 inch)

(Back length increases 0.5 inches for each size: i.e. size XL Reg. = 25.5 inches)

Women's Size:	S	M	L	XL	2XL
Chest:	42	46	50	54	58
Sleeve:	31.5	32.5	33.5	34.5	35.5

Back Length: Size L: Reg. = 23.5

(Chest measured at armhole + or – 0.75 inch)

(Sleeve length measured from center of back collar at neck to bottom of sleeve + or – 0.5 inch)

(Back length measured form collar at neck to bottom of waistband = or – 0.5 inch)

(Back length increases 0.5 inches for each size: i.e. size XL Reg. = 24 inches)

14.33 STOCK PRODUCT. To ensure availability of style and color for the purpose of maintaining departmental uniformity for future purchases, bidders must provide evidence in the form of catalogs price lists or similar written material that this item is currently available on an “as needed” basis. The pre-bid sample must be provided from current manufacturer’s stock of the specified style. The successful bidder will be required to provide a full size run of try-on garments within ten (10) days for agency approval, sizing of personnel, and for further evidence of in-stock availability.

14.34 NFPA 1999 (1997 EDITION) CERTIFICATION. The garment shall meet the Emergency Medical Garment requirements of the NFPA 1999, STANDARD ON PROTECTIVE CLOTHING FOR EMERGENCY MEDICAL OPERATIONS, 1997 Edition. The garment shall have the required labeling as contained in this standard.

14.35 LIMITED WARRANTY. The sample and contract garments shall carry a manufacturer printed warranty hang tag. A sample warranty hang tag must accompany the bid package as well. The tag shall instruct the owner of their rights under the warranty. The Limited Warranty will contain at minimum the following:

14.35.1 Warranty coverage. Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in materials and workmanship for a period of three (3) years from date of purchase. The product will remain waterproof in normal use for a period of three (3) years from date of purchase.

14.35.2 Warranty service. Should a covered product become defective or lose waterproofness during the warranty period, simply return it to the manufacturer with dated proof of purchase. The manufacturer agrees to repair or replace at its option any item determined to be defective and will return to purchaser at no charge.

14.35.3 Limitations. This warranty does not cover abnormal wear and tear, nor the color fastness of fluorescent fabrics, nor damage from chemicals, fire, misuse, accident or negligence. This warranty only applies to the original purchaser of the covered product and is not transferable.

15. JACKET, WAISTLENGTH, AUXILIARY POLICE PUBLIC SAFETY GORE-TEX JACKET & LINER – UNISEX.

- 15.1 STYLE. Waist length style with 6 snap storm flap overlapping a 2-way zipper. Side vents for access to equipment. Front and back flapped yokes to accommodate drop down panels. Utility shoulder straps. Hide-away hood. Cross by Fechheimer Item: 79909GTX
- 15.2 OUTER SHELL. 100% Nylon, 3 ply Supplex, 3.7 oz. per sq. yd., with water and stain repellency, uncoated.
- 15.3 COLOR. Brown
- 15.4 DROP LINING.
 - 15.4.1 Made from waterproof, breathable, windproof 2 layer Gore-Tex®.
 - 15.4.2 Face fabric: 100% Black Polyester.
 - 15.4.3 Membrane layer: bi-component PTFE membrane.
 - 15.4.4 Drop lining shall have following minimum physical properties:
- 15.5 SEAM SEALING. All seams shall be sealed with Gore-Tex® seam sealing tape to prevent leakage. All stitching through the liner shall be sealed with waterproof tape.
- 15.6 OUTER SHELL.
 - 15.6.1 FACING. There shall be an inside facing of shell material with a non-woven interlining approximately 1" wide on each side. There shall be a #5 YKK Delrin 18" zipper set between the facing and the lining to attach the removable liner.
 - 15.6.2 FRONT. There shall be a double storm flap over the front zipper to ensure a waterproof front extending into the collar. The storm flap shall be lined with waterproof membrane. The storm flap shall close with six 24 ligne snaps that are not exposed to the outer portion of the storm flap. The front zipper shall be a #5 two-way YKK zipper. There shall be a yoke on each side of the front facing with nylon mesh for ventilation as well as to conceal drop down reflective panels. A zipper shall be sewn into the yoke to accommodate drop down panels.
 - 15.6.3 BADGE TAB. Made from shell fabric, permanently affixed on left chest. Metal eyelets are spaced 1 ¼" center to center.
- 15.7 COLLAR. There shall be a two-ply collar of self-material interlining sewn to the top of collar for stability. A 7" nylon zipper shall be inserted under the collar and centered to accommodate a drop in hood. There shall be hanger loop of self-material centered at the inside of the neckline. A snap shall be placed on the label carrier to secure the removable insulated liner.
- 15.8 SLEEVES. There shall be a two-piece sleeve with an articulated armhole to allow freedom of movement. Each sleeve shall have a nylon zipper positioned on the underside of the sleeve seam approximately 10" from underarm seam to allow application of patch without puncturing the membrane.

- 15.9 CUFF. An adjustable, elasticized, cuff with a hook and loop tab shall be set on each. This cuff shall be made from outer-shell material.
- 15.10 SHOULDER UTILITY STRAP. The utility strap shall be centered on each shoulder, 2 1/4" wide, stitched into the armhole seam and neck seam. The 1 3/4" long center shall not be stitched down to the body of the coat to allow attachment of a radio microphone.
- 15.11 POCKETS. There shall be 2 inside pockets made of self-material with zipper closure, right and left side. There shall be two, 2-way hand warmer pockets with inverted pleats, measuring approximately 7 1/4" long X 6 1/2" wide with a mitered flap closure with snaps. The hand warmer pocket shall be lined with kasha lining and the other pockets shall be lined with interlining material. There shall be an 8" vertical pocket set between the storm flap and the hand warmer pocket.
- 15.12 WAISTBAND. There shall be a two-piece waistband made of outer-shell material with elastic. There shall be a 10" zipper closure on each side of the jacket to accommodate equipment with elastic tabs and snap closure.
- 15.13 BACK. The back shall have a rain shed yoke lined with waterproof, breathable membrane and faced with a nylon mesh. The yoke shall have a permanent zipper inserted to accommodate drop down panels.
- 15.14 HOOD. There shall a 3-piece hood lined with waterproof membrane. The hood shall drop into the collar opening and concealed with a zipper closure.
- 15.15 REMOVABLE INSULATED LINER.
- 15.15.1 SHELL. 86 pick black nylon taffeta.
- 15.15.2 INSULATION 3M. Thinsulate insulation. Lining must be quilted horizontally with a minimum of a 6" railroad pattern for maximum thermo retention. Excess stitching and openings in liner cause extreme loss of body heat.
- 15.15.3 BODY. Insulated with 3M Thinsulate. 200 gm composed of 100% Polyester.
- 15.15.4 SLEEVES. Insulated with 3M Thinsulate, 100 gm composed of 100% Polyester. The liner sleeves shall have knit wristlets.
- 15.16 FINISHING & PRESSING. The entire jacket must be made in a first-class manner - work clothes type jackets will not be acceptable. All loose threads must be removed.
- 15.17 SIZE TAG, CARE INSTRUCTIONS AND CONTENT LABELS. The jacket shall have a sewn in label giving care instructions and a permanent woven size tag. The jacket shall also have a label indication lot number, size, fiber content, and RN number.
- 15.18 STOCK SIZES
- SHORT: XSMALL – LARGE
- REGULAR: XSMALL – 5XL
- LONG: MEDIUM – 5XL

16. COAT, CROSSING GUARD, BLAUER STYLE 9910Z.

16.1 STYLE. The jacket shall be waist length, single breasted, with zipper front and inside storm closure. There shall also be epaulets, badge holder on left breast, and pleated patch pocket with side opening for hands, and flap opening at top for pencil, bi-swing back side vent zippers with snap tab closure, detachable pile collar, wind knit collar, collar and collar stand, and two piece set-in sleeves. There shall be a full body and sleeve zip out liner using Thinsulate quilted to nylon face fabric in a 6 inch diamond pattern. Gold Baltimore County Police buttons. Blauer model no. 9910Z.

16.2 BASIC (SHELL) FABRIC. 5.5 oz. per square yard 200 Denier Nylon (warp), and 300 denier taslanized nylon filling, plain weave, treated with durable fluorocarbon water and stain release agents. Honeycomb pattern printed urethane non-ravel backcoating to insure breathability, prevent seam slippage, and to maintain shell fabric appearance. (Color: Police Blue Navy)

16.3 LINER PERMANENT WATERPROOF-BREATHABLE LINING. Gore-Tex waterproof-breathable membrane laminated to a 2.18 oz. per square yard, 100% textured polyester, 70 denier plain weave fabric (Color: charcoal) resulting in a dry-cleanable and washable waterproof material with high moisture vapor transmission.

Removable Insulated Liner: 6-inch diamond pattern quilted insulation package. 1.85 oz. per square yard, 100% Nylon 70 denier ripstop woven face fabric (Color: charcoal). Thermolite Plus or B.Warm BSCL-100 insulation for sleeves and BSCL-200 for body. 1.8 oz. per square yard, 100% Nylon 70 denier plain weave taffeta backing fabric (Color: black). Fiber migration resistant construction and treatment with no added layers of scrim. Machine washable/dryable, dry-cleanable, and can be pressed. Shrinkage less than 2%. Color: Black

16.4 QUILT LINER. Liner is a full body liner. Quilting shall be stitched in a 6-inch diamond pattern and shall be removable by means of a ~~46-53 inch~~46-53-inch Delrin zipper. There shall be knit gussets in each shoulder allowing the bi-swing to be fully operational.

16.5 REMOVABLE INSULATED LINER.

16.5.1 Face Fabric.

Cloth Type: 100% nylon 70 denier

Count: Warp: 106 (+ or - 2) Filling 96 (+ or - 2)

The following values are plus or minus 5%:

Weight: 1.85 oz. per square yard

Breaking Strength: Warp: 114 lbs. Filling 92 lbs.

Tearing Strength: Warp: 7 lbs. Filling 5 lbs.

Shrinkage: Warp: 2% Filling 2%

Color Fastness and Crocking: 4 (Good)

Color: Black

16.5.2 Insulation.

Body: 3M Co. Thinsulate 150 gram quilted in a 6 inch diamond pattern.

Sleeves: 3M Co. Thinsulate 100 gram quilted in a 6 inch diamond pattern.

Backing Fabric:

Cloth Type: 32 gauge 40 denier 2-bar reverse jersey tricot.

Count: Wales: 28 Courses: 28

Color: Black

16.6 INTERLINING. The following parts shall be interlined: Collar, Collar Stand, Epaulets, Pocket Flaps, and Fronts (3 ¾ inches in width.)

Cloth Type: 100% cotton osnaburg

Color: Charcoal

Weight: 3.45 yards per pound

Count: warp: 30 fill: 24

Break Strength-warp: 60 lbs. fill: 35 lbs.

Maximum Shrinkage-warp and fill: 3-4%

16.7 COLLAR PILE.

Type: 100% acrylic face, 100% polypropylene back

Weight: 27 – 28 ounces per lineal yard (58 to 60 inches wide)

Weight Distribution: face 70%, backing 30%

Pile Height: 3/8 inch

Finish: high lustre seal finish

Color: Black

16.8 BINDING.

Cloth Type: 100% nylon 70 denier taffeta plain weave

Count: Warp: 104(+ or – 2) Filling: 86 (+ or – 2)

Weight: 1.8 oz., per square yard

Binding color for removable insulated liner: Charcoal

Binding color for jacket facing: Black

- 16.9 STITCHING AND THREAD. All stitching shall be even and uniform as per the standard sample. Thread shall be size #50 polyester wrapped polyester core; vat dyed. The leather trim and the jacket hem shall be sewn with 100% nylon size #33 thread.
- 16.9.1 SAFETY STITCHING. A five (5) thread safety stitch machine shall be used on all body and sleeve joining seams on the quilted and permanent liners.
- 16.10 COLLAR AND COLLAR STAND. The permanent collar and collar stand shall be made of two plies of the basic fabric plus the interlining. The interlining shall be sewn to the under collar and under collar stand using an eight-point star stitch. The collar points shall be shaped and symmetrical. The detachable collar will consist of a layer of pile fabric and one (1) layer of polyester/cotton pocketing. The under-collar portion of the detachable collar shall consist of two plies of the basic fabric. There will be three (3) buttonholes on both sides of the detachable collar for attachment to the jacket. The detachable collar shall fit the permanent collar precisely. There should be no bunching, gapping or distortion.
- 16.11 KNIT COLLAR. The inner wind collar shall be rib knit 1 x 1, 100% polyester. The collar shall be 2 inches wide.
- 16.12 BI-SWING BACK. For comfort of motion, there shall be a bi-swing back. The bi-swing shall be approximately 12 inches in length and 1 ½ inch in depth. It shall be constructed with an elasticized anchor so that the bi-swing will be snapped back into proper position after being extended. The elastic shall be a 1-inch elastic braid.
- 16.13 SLEEVES. Two-piece, coat style, set-in, with shoulder pads, and epaulets. The sleeve liner shall have Thinsulate insulation (CS-100) with attached wristlets.
- 16.14 WRISTLETS. Shall be 100% polyester, 1 x 1 rib knit, measuring 8 x 2 inches, color black.
- 16.15 EPAULETS. The epaulets shall be 2 1/8 inches in width at the sleeve joining seam and shall taper to 2 inches in width at the narrow end. The point of the epaulet shall finish at the collar joining seam of the coat, fastened with buttonhole and twenty-four (24) ligne uniform buttons.
- 16.16 POCKETS. The pleated patch pockets shall measure approximately 7 inches wide by 7 ½ inches high. There shall be a scalloped flap, measuring approximately 7 inches wide by 2 ¼ inches at each end and 3 inches at the center point. There shall be a buttonhole in each center flap to accommodate a 24 ligne button. The patch pocket shall be double lined with dacron/cotton pocketing. The outside edge of the pocket and pocket flap shall be securely bar tacked. The sides shall open to accommodate the hands and there shall be an opening in the upper inside portion of the left pocket flap through which a pen may be inserted without opening the flap. Ends of stitching shall be securely bar tacked.
- 16.17 BUTTONS. Collar and sleeve liner attachment buttons shall be four (4) hole pure melamine plastic conforming to Type II, class D, Style 20 and 21, of U.S. Military Specification #V-B-871D. Color shall match the basic shell fabric.
- 16.18 BUTTONHOLES. Shall be eyelet end, taper bar cut after or cut first with #8 gimp. If cut first type, thread ends shall be bar tacked.
- 16.19 SLIDE FASTENERS. The front zipper shall use a Delrin, one-way, size #10, 13 inches long, color black. The zip out lining zippers shall be delrin, size #3. Side zippers to be nylon, size #3, 9 ½ inches long, color black.

16.20 SIZES TABLE. OF MEASUREMENTS IN INCHES The size range shall be Men's sizes 34 – 36 short, 34 – 56 regular, 36 – 56 long, 38 – 56 extra long. Women's sizes with dust darts shall be Small, Medium, Large, Xlarge, and XXlarge.

Size Men's: 34 36 38 40 42 44 46 48 50 52 54 56

Chest: 42 44 46 48 50 52 54 56 58 60 62 64

(measured at armhole and side seam, + or – ¾ inch)

Back Length: Size 42: Reg = 26, ½ Short = 25 ½ Long = 27 ½ X Long = 28 ½

Increases ¼ inch for each size (ex. size 44 Reg = 26 ¾ inches)

(measured from collar stand to bottom of hem, + or – ½ inch)

Sleeve length, size 42: Reg. = 17 Short = 16 Long = 18 ½ Xlong = 19 ½

16.21 CHEVRONS, PATCHES, EMBLEMS. Two (2) emblem supplied by the agency shall be sewn on to each sleeve.

16.22 LIMITED WARRANTY. The Limited warranty shall contain at minimum the following:

16.22.1 Warranty coverage. Manufacturer agrees to warranty to the original purchaser that the product will be free from defects in material and workmanship for a period of three (3) years from date of purchase.

16.22.2 Warranty service. Should a covered product become defective during the warranty period, simply return it to the manufacturer with dated proof of purchase. The manufacturer agrees to repair or replace at its option any item determined to be defective and will return to purchaser at no charge.

16.22.3 Limitations. This warranty does not cover abnormal wear and tear, nor the color fastness of fluorescent fabrics, nor damage from chemicals, fire misuse accident or negligence. This warranty only applies to the original purchaser of the covered product and is not transferable.

For a complete copy of the Limited Warranty please contact the manufacturer.

17. JACKET, LIGHTWEIGHT, SCHOOL GUARD.

17.1 **DESIGN.** Jacket shall be single breasted with a covered slide fastener front closure, a collar and a stand with a throat tab that buttons the collar closed, two inverted welt slash pockets, one inside patch pocket, set-in sleeves with taffeta lining, button-down shoulder straps, wide facings, adjustable button cuffs, and waist adjustment tabs. There shall be left and right side seam zippers for access to weapon or equipment. Must include badge tab and name tab. Blauer style 303-1.

17.2 SHELL MATERIAL

Cloth Type: The basic material shall be a 65% / 35% polyester/cotton blend, 2 ply poplin weave, with a durable water repellent finish, conforming to MIL-CCC-T-191.

Color: Shade AF Blue 3376

17.3 PERMANENT SLEEVE LINING FABRIC.

Cloth Type: 100% nylon taffeta plain weave, 70 Denier Nylon type #66 continuous filament yarns with 34 filaments, melting point 450 degrees Fahrenheit.

Count: Warp: 104 (+ or – 2) Filling: 86 (+ or –2)

Weight: 1.8 oz. per square yard

Breaking Strength: (lbs.) Warp: 125 (min.) Filling: 85 (min.)

Tearing Strength: (lbs.) Warp: 3.5 (min.) Filling: 2.1 (min.)

Shrinkage: Warp: 2% (max) Filling: 2% (max.)

Color Fastness and Crocking: Good Color: AF Blue 1157

17.4 BACK YOKE LINING. There shall be a back yoke lining made from self-fabric measuring 7 ½ at the center back by 21 inches at the sleeve setting seam. The yoke shall have a ½ inch pleat in the center for ease and shall be finished clean with a 1/4 hem.

17.5 INSIDE FACINGS. There shall be inside facings of shell fabric, on each side of the jacket, measuring 10 ½ inches at the bottom and tapering to 7 ¼ inches at the collar. The facings shall be bound with taffeta binding. There shall be a patch pocket on the left inside facing.

17.6 BINDING.

Cloth Type: 100% nylon taffeta plain weave, 70 Denier Nylon type #66 continuous filament yarns with 34 filaments, melting point 450 degrees Fahrenheit.

Count: Warp: 104 (+ or – 2) Filling: 86 (+ or –2)

Weight: 1.8 oz. per square yard

Breaking Strength: (lbs.) Warp: 125 (min.) Filling: 85 (min.)

Tearing Strength: (lbs.) Warp: 3.5 (min.) Filling: 2.1 (min.)

Shrinkage: Warp: 2% (max) Filling: 2% (max.)

Color Fastness and Crocking: Good

1 ¼" wide bias cut, binding finish. Color: AF Blue 1157

17.7 THREAD. Thread for single needle lockstitch seams shall be size #50 polyester wrapped polyester core, vat dyed. Thread for safety stitch seams shall be polyester wrapped polyester core, vat dyed size #50 in the needles and size #70 in the loopers.

17.8 STITCHING SMD SEAMS. Seams to be single needle lock stitch construction. Back tacks on seams shall be a minimum of ½ inch long. All seams shall be eight (8) stitches per inch minimum to twelve (12) stitches per inch maximum. Seams shall be free from puckering, pleats, runoffs, and raw edges.

17.9 COLLAR AND STAND. The permanent collar and collar stand shall be made of two plies of the shell fabric. The under collar shall be sewn using a six-point star stitch. The collar

shall be well shaped and symmetrical. The under stand shall have four (4) rows of stitching (evenly spaced) between the joining seams. The points shall measure 2 ½ inches with the center measuring 12 ¼ inches. The collar stand shall measure 1 ¾ inches at the center width. There shall be a throat tab measuring as an integral part of the collar stand, measuring 1 inch by 2 ¼ inches, with button hole and buttons (properly spaced) on either side of the stand.

- 17.10 SLEEVES AND CUFF. Sleeves shall be two (2) piece, set-in coat style, with epaulets, two (2) piece taffeta lining, and cuffs at the bottom. The sleeve cuffs shall measure 2 inches in width by 12 inches in length. There shall be a buttonhole on the pointed end of the cuff. Each cuff shall have two 24 ligne buttons specified for adjustment.
- 17.11 SLEEVE LINING. There shall be a two-piece taffeta sleeve lining beginning at the sleeve armhole seam and ending at the sleeve cuff. The joining seams shall be safety stitched and the armhole seam shall also be bound with the bias binding.
- 17.12 POCKETS. There shall be two (2) lower reverse welt pockets and an inside patch pocket. The front pocket openings shall measure 7 inches in length. The outer welt shall be 1 inch wide and the inner ¾ of an inch. The pocket bag shall be self-material and shall measure 9 inches as its widest point. The pocket bag shall be caught in the front and the hem. The inside patch pocket sewn to the inside facing shall measure 5 ¾ inches wide by 6 inches deep. It shall be neatly folded and hemmed and back tacked at the corners.
- 17.13 EPAULETS. The epaulets shall be 2 ¼ inches in width at the sleeve joining seam and shall taper to 1 ¾ inches in width at the narrow end. The point of the epaulet shall finish at the collar joining seam of the coat fastened with a buttonhole and 24 ligne melamine button as specified.
- 17.14 BUTTONS. The buttons for the collar closure, cuff closure and shoulder strap shall be pure melamine, four (4) hole, 24 ligne (size). The color of buttons shall approximate the shade of the basic materials.
- 17.15 BUTTONHOLES.
- 17.16 SLIDE FASTENERS.

Front: The slide fastener for the front closure shall be brass, YKK, size #5, 20-inch self-locking slider with brass pull. The color of the tape shall be Black.

Side: The side zippers shall be black, coil, 9 ½" long, size #3, with a metal pull.

Side vent zippers as specified shall be sewn into each side seam. The zipper shall be set to the shell and a portion of the inside facing and shall finish inside the bottom hem.

- 17.17 LIMITED WARRANTY. The sample and contract garments shall carry a manufacturer's printed warranty hang tag. A sample warranty hang tag must accompany the bid package as well. The tag shall instruct the owner of their rights under the warranty.

The Limited warranty shall contain at minimum the following:

- 17.17.1 Warranty coverage. Manufacturer agrees to warrant to the original purchaser that the product will be free from defects in material and workmanship for a period of three (3) years from date of purchase.

17.17.2 Warranty service. Should a covered product become defective during the warranty period, simply return it to the manufacturer with dated proof of purchase. The manufacturer agrees to repair or replace at its option any item determined to be defective and will return to purchaser at no charge.

17.17.3 Limitations. This warranty does not cover abnormal wear and tear, nor the color fastness of fluorescent fabrics, nor damage from chemicals, fire misuse accident or negligence. This warranty only applies to the original purchaser of the covered product and is not transferable.

For a complete copy of the Limited Warranty please contact the manufacturer.

18. TIES, CLIP ON.

18.1 Fabric. 75% polyester and 25% wool-tropical weave. Color to be black.

18.2 Construction. Four-in-hand-tie French end construction, Pre-tied on bend over clip with black clasp. Width at widest point is 3". Finished length from top of knot to tip of the tie to be approximately 16, 18, 20". Small end of tie to have three buttonholes to attach to shirt. Each tie shall have a label sewn into the back of big end of tie to accommodate small end.

18.3 Packaging. Each tie shall be shipped with an individual cardboard insert to retain its shape during shipping. Ties are packed one dozen per box. Each box is to have a sticker providing the item number and description. Sizes: 16, 18, 20 and 22 inches in length.

BALTIMORE COUNTY, MARYLAND
REQUEST FOR BID NO. B-10000353
UNIFORMS, CUSTOM, POLICE
Due Date: 03/28/2025 Time: 2:00 P.M.

PROPOSAL SIGNATURE COVER PAGE

SUBMISSION OF A BID/PROPOSAL IN RESPONSE TO THIS SOLICITATION EVIDENCES THE BIDDER'S ACCEPTANCE OF THE TERMS AND CONDITIONS THEREIN. THIS PAGE MUST BE PROPERLY SIGNED BY AN AUTHORIZED OFFICIAL IN THE FIRM WHO REPRESENTS AND WARRANTS ACCEPTANCE OF ALL TERMS AND CONDITIONS OF THE REQUEST FOR BID/REQUEST FOR PROPOSAL. THE PERSON SIGNING THE BID/PROPOSAL MUST INITIAL ANY ALTERATIONS IN FIGURES ON THIS FORM IN INK.

COMPANY NAME: _____

ADDRESS: _____

_____ (City) _____ (State) _____ (Zip Code)

TELEPHONE: _____ FAX: _____

SIGNED: _____ DATE: _____

PRINT NAME: _____ TITLE: _____

TAX ID NUMBER (FIN/SS#) _____ EMAIL: _____

Initial to confirm that a complete electronic version of the bid proposal response is included in the bid package. _____

Is your firm in compliance with all applicable laws and regulations relating to the employment of undocumented worker? If YES, check here _____

NOTICE: A notice required to be delivered shall be deemed to have been received when such notice has been sent to the following address and individual:

F.O.B. Destination (unless otherwise stated herein).

Delivery shall be made within _____ calendar days after receipt of order.

Payment Terms: _____ Cash discounts for less than 30 days will not be considered in determining awards. However, should that bidder obtain award by consideration of the gross price, the County should make every effort to obtain the discount. The County will not accept payment terms with a period of less than (30) days.

If your firm is not already receiving email notification of new solicitations and amendments, you may register for email notification on the County's web site at <https://www.baltimorecountymd.gov/departments/budfin/purchasing/procure-overview>.

**BALTIMORE COUNTY, MARYLAND
 REQUEST FOR BID NO. B-10000353
 UNIFORMS, CUSTOM, POLICE
 Due Date: 03/28/2025, Time: 2:00 P.M.**

PRICE SHEET PAGE 1 OF 6		REQUEST FOR BID			
LINE NO.	COMMODITY /SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED AMOUNT
1	COMMODITY CODE: 200-85 Uniforms, blouse, dress, police officers. See specification No. 1.	75	Each	\$ _____	\$ _____
2	COMMODITY CODE: 200-85 Uniforms, blouse, dress, stock, police officers. See specification No. 1.4	25	Each	\$ _____	\$ _____
3	COMMODITY CODE: 200-85 Uniforms, blouse, dress, auxiliary police. See specification No. 2.	25	Each	\$ _____	\$ _____
4	COMMODITY CODE: 200-85 Uniforms, trousers, summer, female, police officers. See specification No. 3.	10	Each	\$ _____	\$ _____
5	COMMODITY CODE: 200-85 Uniforms, trousers, winter, female, police officers. See specification No. 3.	10	Each	\$ _____	\$ _____
6	COMMODITY CODE: 200-85 Uniforms, trousers, summer, male, police officers. See specification No. 3.	10	Each	\$ _____	\$ _____
7	COMMODITY CODE: 200-85 Uniforms, trousers, winter, male, police officers. See specification No. 3.	5	Each	\$ _____	\$ _____
8	COMMODITY CODE: 200-85 Uniforms, trousers, stock, summer, female, police officers. See specification No. 3.	5	Each	\$ _____	\$ _____
9	COMMODITY CODE: 200-85 Uniforms, trousers, winter, stock, female, police officers. See specification No. 3.	5	Each	\$ _____	\$ _____

**BALTIMORE COUNTY, MARYLAND
REQUEST FOR BID NO. B-10000353
UNIFORMS, CUSTOM, POLICE
Due Date: 03/28/2025, Time: 2:00 P.M.**

PRICE SHEET PAGE 2 OF 6		REQUEST FOR BID			
LINE NO.	COMMODITY /SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED AMOUNT
10	COMMODITY CODE: 200-85 Uniforms, trousers, summer, stock, male, police officers. See specification No. 3.	5	Each	\$ _____	\$ _____
11	COMMODITY CODE: 200-85 Uniforms, trousers, winter, stock, male, police officers. See specification No. 3.	5	Each	\$ _____	\$ _____
12	COMMODITY CODE: 200-85 Uniforms, trousers, summer, male and female, cadets. See specification No. 4.	10	Each	\$ _____	\$ _____
13	COMMODITY CODE: 200-85 Uniforms, trousers, winter, male and female, cadets. See specification No. 4.	10	Each	\$ _____	\$ _____
14	COMMODITY CODE: 200-85 Uniforms, trousers, summer, female, auxiliary police. See specification No. 5.	4	Each	\$ _____	\$ _____
15	COMMODITY CODE: 200-85 Uniforms, trousers, winter, female, auxiliary police. See specification No. 5.	4	Each	\$ _____	\$ _____
16	COMMODITY CODE: 200-85 Uniforms, trousers, summer, male, auxiliary police. See specification No. 5.	5	Each	\$ _____	\$ _____
17	COMMODITY CODE: 200-85 Uniforms, trousers, winter, male, auxiliary police. See specification No. 5.	5	Each	\$ _____	\$ _____
18	COMMODITY CODE: 200-85 Breeches, motorcycle, winter, police officers, male and female. See specification No. 6.	12	Each	\$ _____	\$ _____

**BALTIMORE COUNTY, MARYLAND
REQUEST FOR BID NO. B-10000353
UNIFORMS, CUSTOM, POLICE
Due Date: 03/28/2025, Time: 2:00 P.M.**

PRICE SHEET PAGE 3 OF 6		REQUEST FOR BID			
LINE NO.	COMMODITY /SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED AMOUNT
19	COMMODITY CODE: 200-85 Breeches, motorcycle, summer, police officers, male and female. See specification No. 6.	12	Each	\$ _____	\$ _____
20	COMMODITY CODE: 201-30 Caps, police officer, Corporal and Sergeant. See specification No. 7.	100	Each	\$ _____	\$ _____
21	COMMODITY CODE: 201-30 Caps, police officer, Lieutenant and Captain. See specification No. 7.	60	Each	\$ _____	\$ _____
22	COMMODITY CODE: 201-30 Caps, police officer, Major and Chief. See specification No. 7.	10	Each	\$ _____	\$ _____
23	COMMODITY CODE: 201-30 Caps, police officer, patrolman. See specification No. 7.	300	Each	\$ _____	\$ _____
24	COMMODITY CODE: 201-30 Caps, cadets and police service officers. See specification No. 8.	100	Each	\$ _____	\$ _____
25	COMMODITY CODE: 201-30 Caps, auxiliary police, Corporal and Sergeant. See specification No. 9.	5	Each	\$ _____	\$ _____
26	COMMODITY CODE: 201-30 Caps, auxiliary police, Lieutenant and Captain. See specification No. 7.	5	Each	\$ _____	\$ _____
27	COMMODITY CODE: 201-30 Caps, auxiliary police, Major and Chief. See specification No. 7.	1	Each	\$ _____	\$ _____
28	COMMODITY CODE: 201-30 Caps, auxiliary police, Patrolman. See specification No. 7.	12	Each	\$ _____	\$ _____

**BALTIMORE COUNTY, MARYLAND
REQUEST FOR BID NO. B-10000353
UNIFORMS, CUSTOM, POLICE
Due Date: 03/28/2025 Time: 2:00 P.M.**

PRICE SHEET PAGE 4 OF 6		REQUEST FOR BID			
LINE NO.	COMMODITY /SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED AMOUNT
29	COMMODITY CODE: 200-16 Jacket, leather, K9, below size 48, Taylor 4465RZ . See specification No. 10.	2	Each	\$ _____	\$ _____
30	COMMODITY CODE: 200-16 Jacket, leather, K9, size 48+, Taylor 4465RZ . See specification No. 10.	1	Each	\$ _____	\$ _____
31	COMMODITY CODE: 200-16 Jacket, leather, motorcycle, police, Taylor 4473Z. (G4473Z is <u>NOT</u> acceptable). See specification No. 11.	5	Each	\$ _____	\$ _____
32	COMMODITY CODE: 200-16 Coats, all weather, police, HWC CTCPCNV. See specification No. 12.	15	Each	\$ _____	\$ _____
33	COMMODITY CODE: 200-16 Jacket, raid, police, 5.11 Tactical 48098-724 . See specification No. 13.	25	Each	\$ _____	\$ _____
34	COMMODITY CODE: 200-16 Jacket, winter, police, blue, Blauer 9910Z. See specification No. 14.	50	Each	\$ _____	\$ _____
35	COMMODITY CODE: 200-16 Jacket, lightweight, school guard, Blauer 303-1 See Specification No. 17.	10	Each	\$ _____	\$ _____
36	COMMODITY CODE: 201-19 Tie, clip on, buttonholes, polyester / wool, 3.0 x 16", S. Broome model 45044 or approved equal. See specification No. 18.	300	Each	\$ _____	\$ _____

**BALTIMORE COUNTY, MARYLAND
REQUEST FOR BID NO. B-10000353
UNIFORMS, CUSTOM, POLICE
Due Date: 03/28/2025, Time: 2:00 P.M.**

PRICE SHEET PAGE 5 OF 6		REQUEST FOR BID			
LINE NO.	COMMODITY /SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED AMOUNT
37	COMMODITY CODE: 201-19 Tie, clip on, buttonholes, polyester / wool, 3.0 x 18", S. Broome model 45015 or approved equal. See specification No. 18.	600	Each	\$ _____	\$ _____
38	COMMODITY CODE: 201-19 Tie, clip on, buttonholes, polyester / wool, 3.0 x 22", S. Broome model 45045 or approved equal. See specification No. 18.	500	Each	\$ _____	\$ _____
39	COMMODITY CODE: 201-00 Accessories, hat, strap, gold regal, Gemsco.	25	Each	\$ _____	\$ _____
40	COMMODITY CODE: 201-00 Accessories, hat, strap, silver regal, Gemsco.	25	Each	\$ _____	\$ _____
41	COMMODITY CODE: 200-00 Alteration, providing and sewing on replacement buttons.	100	Each	\$ _____	\$ _____
42	COMMODITY CODE: 200-00 Alteration, removing an emblem and sewing on replacement.	100	Each	\$ _____	\$ _____
43	COMMODITY CODE: 200-00 Alteration, removing two emblems and sewing on replacements, plus two additional emblems.	400	Each	\$ _____	\$ _____
44	COMMODITY CODE: 200-00 Alteration, sewing on gold braid, for promotions, both sleeves.	25	Each	\$ _____	\$ _____
45	COMMODITY CODE: 200-00 Alteration, replace zipper.	10	Each	\$ _____	\$ _____
46	COMMODITY CODE: 200-00 Alteration, trousers, shorten or lengthen.	800	Each	\$ _____	\$ _____

**BALTIMORE COUNTY, MARYLAND
 REQUEST FOR BID NO. B-10000353
 UNIFORMS, CUSTOM, POLICE
 Due Date: 03/28/2025, Time: 2:00 P.M.**

PRICE SHEET PAGE 6 OF 6		REQUEST FOR BID			
LINE NO.	COMMODITY /SERVICE DESCRIPTION	QUANTITY FROM/TO	UNIT	UNIT PRICE	EXTENDED AMOUNT
47	COMMODITY CODE: 200-00 Alteration, crotch, take in or let out.	25	Each	\$ _____	\$ _____
48	COMMODITY CODE: 200-00 Alteration, seat, take in or let out.	24	Each	\$ _____	\$ _____
49	COMMODITY CODE: 200-00 Alteration, seat and crotch, take in or let out.	10	Each	\$ _____	\$ _____
50	COMMODITY CODE: 200-00 Alteration, waist, take in or let out.	80	Each	\$ _____	\$ _____
51	COMMODITY CODE: 200-00 Alteration, waist and seat, take in or let out.	24	Each	\$ _____	\$ _____
52	COMMODITY CODE: 200-00 Alteration, waist, seat and crotch, take in or let out.	10	Each	\$ _____	\$ _____
53	COMMODITY CODE: 200-00 Alteration, legs, taper or let out.	6	Each	\$ _____	\$ _____
54	COMMODITY CODE: 201-00 Tie, clip on, buttonholes, polyester / wool, 3.0 x 20", S. Broome model 45045 or approved equal. See specification No. 18.	500	Each	\$ _____	\$ _____
55	COMMODITY CODE: 201-00 Jacket, waist length, auxiliary, Fexheimer style 79909GTX. See specification No. 15.	10	Each	\$ _____	\$ _____
56	COMMODITY CODE: 201-00 Coat, crossing guard, Blauer style 9910Z. See specification No. 16.	10	Each	\$ _____	\$ _____

GRAND TOTAL \$ _____

COMPANY NAME: _____

FED ID OR SOCIAL SECURITY NO. _____